



24th International Trade Fair, New Munich Trade Fair Centre, 9–12 Nov 2010, Tel. (+49 89) 9 49-2 03 31/2 03 13, info@electronica.de, www.electronica.de
Please complete in full and return to: Messe München GmbH, Messengelände, 81823 München, Germany, or **fax to: (+49 89) 9 49-2 03 39**

Address
and invoice
address

Company

Street/P. O. Box

Country _____ City _____ Postal code _____

Tel. _____ Fax _____ Homepage _____

Tax number (mandatory entry as required by legislation governing value-added tax)

Number and place of company registration

Contact in
your company

IMPORTANT!
Please be
sure to
complete all
fields!

Without all
the details
concerned,
your appli-
cation cannot
be processed!

Contact for trade fair organization Ms. Mr.
 Title _____ First name _____ Last name _____

Position (contact)

Tel. (contact) _____ Fax (contact) _____ E-mail (contact) _____

Official representative of the company (managing director, chairman, etc.) Ms. Mr.
 Title _____ First name _____ Last name _____ Position _____

Contact for our Press Office Ms. Mr.
 Title _____ First name _____ Last name _____

E-mail (contact in your Press Office)

Address
for correspon-
dence
only if address
differs from above

Company

Street/P. O. Box

Country _____ City _____ Postal code _____

Contact Ms. Mr.
 Title _____ First name _____ Last name _____

Tel. _____ Fax _____ E-mail _____

Information about your company

Type of company (multiple responses possible):

Manufacturer Service company Distributor with exclusive selling rights for Germany

Headquarters of the parent company with full address and country:

Under which country would you like to be included in the statistics?

Headquarters Branch Country _____

Co-exhibitors

For registration of co-exhibitors please fill in the application form for co-exhibitors (see PDF page 6).

No. of co-exhibitors (with own staff at the stand) _____ No. of additionally represented companies: _____

Stand requests

Stand space only – minimum 20 m²

Row stand (1 side open) EUR 199/m ^{2*} / EUR 204/m ²		Corner stand (2 sides open) EUR 223/m ^{2*} / EUR 228/m ²		End stand (3 sides open) EUR 231/m ^{2*} / EUR 236/m ²		Island stand (4 sides open) EUR 237/m ^{2*} / EUR 242/m ²	
front x depth	= m ²	front x depth	= m ²	front x depth	= m ²	front x depth	= m ²
	=		=		=		=

* This price for stand space only is valid on receipt of application until incl. January 15, 2010, under the terms according to article B4 a) in Terms of Participation B. The prices for combination packages will not change.

Are you planning a two-storey stand? yes no

Combination packages
(stand space incl. stand construction)

	m ²
<input type="checkbox"/> Row "All inclusive" 20 m ² only/1 side open – EUR 8,140	20
<input type="checkbox"/> Row "Standard" from 20 m ² –36 m ² only/1 side open – EUR 315/m ²	
<input type="checkbox"/> Corner "Standard" from 20 m ² –36 m ² only/2 sides open – EUR 339/m ²	

Combination packages in the selected exhibition areas

- Automotive**
9 m² – EUR 5,100
- Software Village**
9 m² – EUR 5,500
- Automotive**
12 m² – EUR 5,900
- Wireless**
9 m² – EUR 5,100
- Embedded**
12 m² – EUR 4,200
- World of MEMS**
9 m² – EUR 5,100

Same location as in 2008? yes no (There is no legal claim to stand location.)

If possible, which companies would you prefer to have as neighbors?

If possible, which companies would you NOT prefer to have as neighbors?

Different invoice address

Due to value-added tax legislation requirements, Messe München GmbH is unfortunately unable to issue or re-address invoices for services rendered or to be rendered by MMG to the exhibitor as its contractual partner to an invoice recipient other than the exhibitor. Messe München GmbH can issue invoices only to its contractual partners. Should it be necessary for invoices to be issued to a different invoice recipient and not to you, we would kindly ask you to contact the electronica Exhibition Management so that an acceptable solution can be found, taking tax legislation requirements into account.

Final invoice only if company name has changed

Please note that the final invoice can be issued only to the above invoice address, i. e. the same as was used for the invoice for admission costs. Only in this way is it possible for the advance payment made to be set off against the services actually availed of.

Should the exhibitor wish to have an invoice amended because of a change in the name, legal form or address of the recipient of the invoice, the exhibitor is obliged to pay MMG an amount of EUR 50 plus VAT for each amendment to the invoice concerned unless the details in the original invoice in respect of name, legal form and address of the recipient of the given invoice were incorrect and MMG is responsible for the incorrect details concerned.

Terms of Participation A and B (enclosed)

The attached Terms of Participation A and B as well as the Technical Guidelines are recognized as legally binding in all parts. Each applicant acting on behalf of a third party shall be directly liable for meeting the demands of MMG in respect of the above fair.

Place and date

Company stamp and legally binding signature. Please also print name.

Admission to electronica 2010 subject to the applicant's conformity with the Product Index defined!

Company

Contact

Main product group

multiple responses not possible

Important for the correct allocation of your trade fair stand!

If items from several main product groups are exhibited, please indicate where the emphasis lies.

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> 1 Semiconductors | <input type="checkbox"/> 5 Sensor technology | <input type="checkbox"/> 9 Electromechanics/
System peripherals | <input type="checkbox"/> 12 Assemblies and subsystems |
| <input type="checkbox"/> 2 Embedded systems | <input type="checkbox"/> 6 Test and measurement | <input type="checkbox"/> 10 Power supplies | <input type="checkbox"/> 13 Automotive |
| <input type="checkbox"/> 3 Displays | <input type="checkbox"/> 7 Electronic Design (ED/EDA) | <input type="checkbox"/> 11 PCBs, other circuit carriers
and EMS | <input type="checkbox"/> 14 Wireless |
| <input type="checkbox"/> 4 Micronano-systems | <input type="checkbox"/> 8 Passive components | | <input type="checkbox"/> 15 Information gathering
and services |

Product Index

multiple responses possible

- | | | |
|---|--|--|
| <p>1 Semiconductors</p> <p><input type="checkbox"/> 1.1 Diodes (including diode networks)</p> <p><input type="checkbox"/> 1.2 Transistors</p> <p><input type="checkbox"/> 1.3 Power semiconductor components</p> <p><input type="checkbox"/> 1.4 Opto semiconductor components</p> <p><input type="checkbox"/> 1.5 Accessories for discrete semiconductors</p> <p><input type="checkbox"/> 1.6 Logic circuits</p> <p><input type="checkbox"/> 1.7 Microprocessors (see Embedded systems)</p> <p><input type="checkbox"/> 1.8 Memory (see Embedded systems)</p> <p><input type="checkbox"/> 1.9 Application-specific ICs (ASSP)</p> <p><input type="checkbox"/> 1.10 Data/signal transformer ICs</p> <p><input type="checkbox"/> 1.11 ICs, special designs (including ASICs/CSICs)</p> <p>2 Embedded systems</p> <p><input type="checkbox"/> 2.1 Development tools, software</p> <p><input type="checkbox"/> 2.2 Development tools, hardware</p> <p><input type="checkbox"/> 2.3 Hardware</p> <p><input type="checkbox"/> 2.4 Peripheral systems</p> <p><input type="checkbox"/> 2.5 DDI and other network-technology components</p> <p><input type="checkbox"/> 2.6 Memories and memory peripherals</p> <p><input type="checkbox"/> 2.7 System solutions</p> <p>3 Displays</p> <p><input type="checkbox"/> 3.1 Liquid Crystal Display (LCD)</p> <p><input type="checkbox"/> 3.2 Plasma Display Panel (PDP)</p> <p><input type="checkbox"/> 3.3 Cathode Ray Tube (CRT)</p> <p><input type="checkbox"/> 3.4 Vacuum Fluorescent Display (VFD)</p> <p><input type="checkbox"/> 3.5 Organic Light-Emitting Diode (OLED)</p> <p><input type="checkbox"/> 3.6 EL display</p> <p><input type="checkbox"/> 3.7 Field Emission Display (FED)</p> <p><input type="checkbox"/> 3.8 Light-Emitting Diode (LED)</p> <p><input type="checkbox"/> 3.9 Surface Conduction Emitter Display (SED)</p> <p><input type="checkbox"/> 3.10 Projection display</p> <p><input type="checkbox"/> 3.11 E-Paper</p> <p><input type="checkbox"/> 3.12 Peripheral equipment for displays</p> <p>4 Micronano-systems</p> <p><input type="checkbox"/> 4.1 Microsystems</p> <p><input type="checkbox"/> 4.2 MEMS</p> <p><input type="checkbox"/> 4.3 Nanotechnology</p> <p>5 Sensor technology</p> <p><input type="checkbox"/> 5.1 Sensors for geometrical parameters</p> <p><input type="checkbox"/> 5.2 Sensors for mechanical parameters</p> <p><input type="checkbox"/> 5.3 Sensors for time and time-based parameters</p> <p><input type="checkbox"/> 5.4 Sensors for temperature and calorific parameters</p> <p><input type="checkbox"/> 5.5 Sensors for climatic parameters</p> <p><input type="checkbox"/> 5.6 Sensors for optical and acoustic parameters</p> <p><input type="checkbox"/> 5.7 Sensors for electrical and magnetical parameters</p> <p><input type="checkbox"/> 5.8 Sensors for chemical parameters</p> <p><input type="checkbox"/> 5.9 Sensors for biological parameters</p> <p><input type="checkbox"/> 5.10 Sensor elements by technology</p> <p>6 Test and measurement</p> <p><input type="checkbox"/> 6.1 Measuring/testing of geometric parameters</p> <p><input type="checkbox"/> 6.2 Mechanical parameters</p> <p><input type="checkbox"/> 6.3 Time and time-based parameters</p> | <p><input type="checkbox"/> 4.7 Thermal units</p> <p><input type="checkbox"/> 4.8 Environmental parameters</p> <p><input type="checkbox"/> 4.9 Chemical and biological parameters</p> <p><input type="checkbox"/> 4.10 Optical and acoustical parameters</p> <p><input type="checkbox"/> 4.11 Image/pattern recognition and processing</p> <p><input type="checkbox"/> 4.12 Electrical parameters</p> <p><input type="checkbox"/> 4.13 Specialized laboratory/test equipment</p> <p>7 Electronic Design (ED/EDA)</p> <p><input type="checkbox"/> 7.1 CAD/CAE tools</p> <p><input type="checkbox"/> 7.2 Generation software</p> <p><input type="checkbox"/> 7.3 Test software</p> <p><input type="checkbox"/> 7.4 Software for special applications</p> <p><input type="checkbox"/> 7.5 Peripheral equipment for ED/EDA environments</p> <p><input type="checkbox"/> 7.6 ED/EDA services</p> <p><input type="checkbox"/> 7.7 Design and development systems</p> <p>8 Passive components</p> <p><input type="checkbox"/> 8.1 Inductors and accessories</p> <p><input type="checkbox"/> 8.2 Capacitors</p> <p><input type="checkbox"/> 8.3 Resistors (including R networks)</p> <p><input type="checkbox"/> 8.4 Radiofrequency and microwave components</p> <p><input type="checkbox"/> 8.5 Polymer components</p> <p><input type="checkbox"/> 8.6 Nonlinear high-voltage components</p> <p><input type="checkbox"/> 8.7 Passive components, miscellaneous</p> <p><input type="checkbox"/> 8.8 Piezoelectric components</p> <p><input type="checkbox"/> 8.9 Magnetic and electronic ceramic products</p> <p>9 Electromechanics/
System peripherals</p> <p>Switches and keyboards</p> <p><input type="checkbox"/> 9.1.1 Switches for continuous connection</p> <p><input type="checkbox"/> 9.1.2 Switches with additional functions</p> <p><input type="checkbox"/> 9.1.3 Electrical keys</p> <p><input type="checkbox"/> 9.1.4 Detector components</p> <p><input type="checkbox"/> 9.1.5 Detector and signaling devices</p> <p><input type="checkbox"/> 9.1.6 Keyboards</p> <p><input type="checkbox"/> 9.1.7 Components and accessories for keyboards</p> <p><input type="checkbox"/> 9.1.8 Initiation devices, manually activated</p> <p><input type="checkbox"/> 9.1.9 Relays</p> <p>9.2 Interconnection components/systems</p> <p><input type="checkbox"/> 9.2.1 Standardized connectors</p> <p><input type="checkbox"/> 9.2.2 Connectors for specific handling</p> <p><input type="checkbox"/> 9.2.3 Connectors, PCB-mountable</p> <p><input type="checkbox"/> 9.2.4 Sockets</p> <p><input type="checkbox"/> 9.2.5 Connectors, application-oriented</p> <p><input type="checkbox"/> 9.2.6 Connectors for telecommunications</p> <p><input type="checkbox"/> 9.2.7 Cables with connectors</p> <p><input type="checkbox"/> 9.2.8 Connectors with additional functions</p> <p><input type="checkbox"/> 9.2.9 Connectors, specific forms</p> <p><input type="checkbox"/> 9.2.10 Miscellaneous connectors</p> <p><input type="checkbox"/> 9.2.11 Accessories for connectors</p> <p><input type="checkbox"/> 9.2.12 Specialized connection/connecting components</p> <p><input type="checkbox"/> 9.2.13 Cables</p> <p>9.3 Casing technology</p> <p><input type="checkbox"/> 9.3.1 System racks</p> <p><input type="checkbox"/> 9.3.2 Build-in and desktop housings</p> | <p><input type="checkbox"/> 9.3.3 Small-scale housings</p> <p><input type="checkbox"/> 9.3.4 Special housings</p> <p><input type="checkbox"/> 9.3.5 Accessories for housings</p> <p><input type="checkbox"/> 9.3.6 Thermal management</p> <p><input type="checkbox"/> 9.3.7 Electronic protection devices (EMI/ESD)</p> <p>10 Power supplies</p> <p><input type="checkbox"/> 10.1 Transformers</p> <p><input type="checkbox"/> 10.2 Coilware for specific applications</p> <p><input type="checkbox"/> 10.3 Accessories for coilware</p> <p><input type="checkbox"/> 10.4 Power supplies, DC output</p> <p><input type="checkbox"/> 10.5 Power supplies, AC output</p> <p><input type="checkbox"/> 10.6 Frequency converters</p> <p><input type="checkbox"/> 10.7 UPS systems</p> <p><input type="checkbox"/> 10.8 Special power supplies</p> <p><input type="checkbox"/> 10.9 Batteries</p> <p><input type="checkbox"/> 10.10 Static current supplies, miscellaneous</p> <p><input type="checkbox"/> 10.11 Power management systems</p> <p><input type="checkbox"/> 10.12 Accessories</p> <p>11 PCBs, other circuit carriers
and EMS</p> <p><input type="checkbox"/> 11.1 Non-PTH single- and double-sided PCBs</p> <p><input type="checkbox"/> 11.2 Double-sided PCBs, PTH</p> <p><input type="checkbox"/> 11.3 Multilayer PCBs (ML)</p> <p><input type="checkbox"/> 11.4 Special PCBs</p> <p><input type="checkbox"/> 11.5 Ceramic PCBs</p> <p><input type="checkbox"/> 11.6 PCBs for backplanes/bus systems</p> <p><input type="checkbox"/> 11.7 EMS Electronic manufacturing services</p> <p><input type="checkbox"/> 11.8 Prototyping</p> <p><input type="checkbox"/> 11.9 Accessories for PCBs</p> <p>12 Assemblies and subsystems</p> <p>Assemblies for control applications</p> <p><input type="checkbox"/> 12.1 Printer assemblies</p> <p><input type="checkbox"/> 12.2 Assemblies, miscellaneous</p> <p><input type="checkbox"/> 12.3 Hybrid modules (including multi-chip modules)</p> <p><input type="checkbox"/> 12.4 Servo technology/Drive elements</p> <p>13 Automotive</p> <p><input type="checkbox"/> 13.1 Drive (engine and gears)</p> <p><input type="checkbox"/> 13.2 Chassis/Steering</p> <p><input type="checkbox"/> 13.3 Brake</p> <p><input type="checkbox"/> 13.4 Interior/Comfort</p> <p><input type="checkbox"/> 13.5 Body/Safety</p> <p><input type="checkbox"/> 13.6 Active safety</p> <p><input type="checkbox"/> 13.7 Electrical on-board power supply</p> <p><input type="checkbox"/> 13.8 Construction and test</p> <p>14 Wireless</p> <p><input type="checkbox"/> 14.1 Cellular systems</p> <p><input type="checkbox"/> 14.2 Non-cellular systems</p> <p><input type="checkbox"/> 14.3 Wireless applications</p> <p><input type="checkbox"/> 14.4 Business partners</p> <p>15 Information gathering
and services</p> <p><input type="checkbox"/> 15.1 Information</p> <p><input type="checkbox"/> 15.2 Approval testing and other services</p> <p><input type="checkbox"/> 15.3 Start-up Forum</p> |
|---|--|--|

This is not a catalog entry form

Which sectors do you supply?

- | | | | | |
|---|--|--|---|---|
| <input type="checkbox"/> Industrial electronics | <input type="checkbox"/> Telecommunications,
fixed-line | <input type="checkbox"/> Other renewable energies | <input type="checkbox"/> Electronics for other
consumer goods | <input type="checkbox"/> Medical electronics |
| <input type="checkbox"/> Automotive | <input type="checkbox"/> Wireless | <input type="checkbox"/> Home entertainment
electronics | <input type="checkbox"/> Electronics for office
and data systems | <input type="checkbox"/> Electronics for aviation,
space and defence |
| <input type="checkbox"/> Electronics for railway
systems | <input type="checkbox"/> Photovoltaics | | | |

Title of trade fair:
electronica 2010
components | systems | applications
24th International Trade Fair

Venue: New Munich Trade Fair Centre

Duration: Tuesday 9 to Friday 12 November 2010

Opening hours: Tuesday to Thursday 9:00 a.m.–6:00 p.m., Friday 9:00 a.m.–5:00 p.m.

Organizer and financing body:
Messe München GmbH (MMG), Messegelände, 81823 München, Germany
Tel. (+49 89) 9 49-01, Fax (+49 89) 9 49-09
info@electronica.de, www.electronica.de

Special Terms of Participation (B)

All prices indicated below are net and are subject to value-added tax.

B 1 Application (see A 1)

The deadline for applications is 15 January 2010.

B 2 Permitted exhibits and exhibitors (see A2)

The following are permitted:

- companies whose exhibits correspond with the **Product Index** of electronica 2010 (see enclosure). Please tick only one of the main product groups in the product index. The location of your company's stand in a specific trade fair hall depends on the main product group you tick. Articles other than those permitted and registered may not be exhibited.
We cannot process your application without a duly completed Product Index.
- exhibitors with the following qualifications: German and foreign manufacturers and service companies, as well as trading companies that can prove they have been authorized by the manufacturer to exhibit its products.

MMG has the final decision. Organizers of joint stands are not exhibitors as defined by the Special Terms of Participation.

B 3 Co-exhibitors and additionally represented companies (see A 1, A 2, A 4)

The participation of companies as co-exhibitors/additionally represented companies (cf. 4) is as a general rule possible. Participation in such cases is, however, subject to the prior authorization of MMG. Permission to participate may be granted only if the co-exhibitor/additionally represented company concerned would also have been eligible to participate as an exhibitor. There is an application fee of EUR 200 for each co-exhibitor or additionally represented company. Co-exhibitors and additionally represented companies must be registered on a separate form by the main exhibitor.

B 4 Participation fees, advance payment for services (see A7)

The minimum stand size for stand space only is 20 m².

Participation fees are as follows:

a) Stand space only in halls

Row stand (one side open)	EUR 204/m ²
Corner stand (two sides open)	EUR 228/m ²
End stand (three sides open)	EUR 236/m ²
Island stand (four sides open)	EUR 242/m ²

For exhibitors whose applications are received by MMG up to and including 15 January 2010, the following prices apply if the exhibitor concerned

1. hires stand space with the same or a larger area and with the same or a more expensive type of stand (row stand, corner stand, end stand, island stand) than that specified in his application, or if he

2. hires stand space with a smaller area or a lower cost type of stand than that specified in his application insofar as MMG has proposed allocating the exhibitor such a stand without the exhibitor having provided MMG with prior notification of his wish for stand space with a smaller area or a lower cost type of stand than that specified in his application:

Row stand (1 side open)	EUR 199/m ²
Corner stand (2 sides open)	EUR 223/m ²
End stand (3 sides open)	EUR 231/m ²
Island stand (4 sides open)	EUR 237/m ²

For two-storey stands, upper-storey stand space costs 80% of the respective ground floor space.

Prices include the following:

- Free use of all services provided by MVV—Munich Transport and Tariff Association (subways and suburban trains, trams and buses) from one day before until one day after the fair in the entire MVV network against presentation of your exhibitor's pass
- Messe München GmbH's marketing services
- Technical and organizational services

b) On the outdoor exhibition area

Container site EUR 1,035

c) Combination packages

All Inclusive

(20 m² row stand only) EUR 8,140
The all inclusive stand offer comprises: stand assembly and dismantling, stand space (20 m² row stand), stand design as pictured in the information brochure on participation alternatives, 1 table with 4 chairs, 1 info counter with bar stool, 1 cabin (1 m², with lockable door, incl. coat rack), 1 display case (50 x 50 x 250 cm, height of glass: 100 cm), 1 brochure rack, 1 waste paper basket, company lettering up to 15 letters, carpeting (choice of colour), lighting (1 spot per 3 m² surface area), 3 kW electricity connection incl. 1 power outlet and electricity consumption, stand cleaning, AUMA charge, 1 press compartment, 100 free guest tickets, basic media entry (catalog, Internet, Visitor Information System).

Row/corner stand Standard

(row/corner stand from 20 to 36 m² only) EUR 315 per m²/EUR 339 per m²
This turnkey stand offer comprises: stand assembly and dismantling, stand space (from 20 to 36 m² as ordered), stand design as pictured in the information brochure on participation alternatives, 1 table with 4 chairs, 1 info counter with bar stool, 1 cabin (1 m², with lockable

door, incl. coat rack), 1 display case (50 x 50 x 250 cm, height of glass: 100 cm), 1 brochure rack, 1 waste paper basket, company lettering up to 15 letters, carpeting (choice of colour), lighting (1 spot per 3 m² surface area), 3 kW electricity connection incl. 1 power outlet and electricity consumption, AUMA charge.

d) Combination packages in selected exhibition areas

Automotive

(9 m² corner stand only) EUR 5,100
This turnkey stand offer comprises: stand assembly and dismantling, stand space (9 m² corner stand), stand design as pictured in the information brochure on participation alternatives, 1 workstation (lockable, may be used as PC workstation), 1 high table (60 cm diameter), 3 bar stools, 1 column showcase (height 180 cm, partially glazed with 2 glass shelves, substructure and lighting), 1 brochure rack, 1 waste paper basket, carpeting, lighting, electricity connection incl. electricity consumption, stand cleaning, company lettering up to 15 letters, use of facilities (cloakroom, storage room, catering), AUMA charge, 2 press compartments, posting of 2 press releases and 2 images on the Internet, basic media entry (catalog, Internet, Visitor Information System), inclusion in Messe München GmbH's advertising campaigns and press work.

Automotive

(12 m² corner stand only) EUR 5,900
This turnkey stand offer comprises: stand assembly and dismantling, stand space (12 m² corner stand), stand design as pictured in the information brochure on participation alternatives, 1 cabin (1 m², lockable), 1 workstation (lockable, may be used as PC workstation), 1 high table (60 cm diameter), 3 bar stools, 1 info counter with bar stool, 1 column showcase (height 180 cm, partially glazed with 2 glass shelves, substructure and lighting), 1 brochure rack, 1 waste paper basket, carpeting, lighting, electricity connection incl. electricity consumption, stand cleaning, company lettering up to 15 letters, use of facilities (cloakroom, storage room, catering), AUMA charge, 2 press compartments, posting of 2 press releases and 2 images on the Internet, basic media entry (catalog, Internet, Visitor Information System), inclusion in Messe München GmbH's advertising campaigns and press work.

Embedded

(12 m² row stand only) EUR 4,200
This turnkey stand offer comprises: stand assembly and dismantling, stand space (12 m² row stand), stand design as pictured in the information brochure on participation alternatives, 1 table with 4 chairs, 1 info counter with bar stool, 1 cabin (1 m², with lockable door, incl. coat rack), 1 waste paper basket, company lettering up to 15 letters, carpeting (choice of colour), lighting (1 spot per 3 m² surface area), 3 kW electricity connection incl. 1 power outlet and electricity consumption, stand cleaning, AUMA charge, 100 free guest tickets, 100 letter stickers (without imprint), basic media entry (catalog, Internet, Visitor Information System).

Wireless, World of MEMS

(9 m² row/corner stand only, depending on availability) EUR 5,100
This turnkey stand offer comprises: stand assembly and dismantling, stand space (9 m² row/corner stand, depending on availability), stand design as pictured in the information brochure on participation alternatives, 1 workstation (lockable, may be used as PC workstation), 1 high table (60 cm diameter), 3 bar stools, 1 column showcase (height 180 cm, partially glazed with 2 glass shelves, substructure and lighting), 1 brochure rack, 1 waste paper basket, carpeting, lighting, electricity connection incl. electricity consumption, stand cleaning, company lettering up to 15 letters, use of facilities (cloakroom, storage room, catering), AUMA charge, 2 press compartments, posting of 2 press releases and 2 images on the Internet, basic media entry (catalog, Internet, Visitor Information System), inclusion in Messe München GmbH's advertising campaigns and press work.

Software Village

(9 m² row/corner stand only, depending on availability) EUR 5,500
This turnkey stand offer comprises: stand assembly and dismantling, stand space (9 m² row/corner stand, depending on availability), stand design as pictured in the information brochure on participation alternatives, 1 workstation (lockable, may be used as PC workstation), 1 high table (60 cm diameter), 3 bar stools, 1 column showcase (height 180 cm, partially glazed with 2 glass shelves, substructure and lighting), 1 brochure rack, 1 waste paper basket, carpeting, lighting, electricity connection incl. electricity consumption, stand cleaning, company lettering up to 15 letters, use of facilities (cloakroom, storage room, catering), half-hour time slot for lectures in the embedded Forum, AUMA charge, 2 press compartments, posting of 2 press releases and 2 images on the Internet, basic media entry (catalog, Internet, Visitor Information System), inclusion in Messe München GmbH's advertising campaigns and press work.

The advance payment for services to be ordered (see A7) is EUR 20 net per m² of rented space.

The German Council of Trade Fairs and Exhibitions (AUMA) levies all exhibitors (German and foreign) a charge of EUR 0.60 net per m² of rented exhibition space. This amount is charged by MMG and transferred directly to AUMA.

B 5 Terms of payment (see A 7)

The deadlines for payment given in the notice of admission or the invoice must be observed. Prior payment in full of the amount invoiced is a condition for access to the exhibition area, the media entry and the provision of exhibitors' passes. All invoiced amounts in all MMG invoices, which are connected with the event, must be transferred in euro, without deductions and free of all charges, to one of the accounts specified in the respective invoice, indicating the reference number.

B 6 Dates of setting up and dismantling (see A 14)

Stands may be set up starting on 3 November 2010 at 8:00 a.m.
All delivery and stand-construction vehicles must be removed from the halls and from the outdoor area by 4:00 p.m. on the last day of set-up, 8 November 2010. Vehicles which are still in the halls or the outdoor area after these times will be removed by MMG at the risk and expense of the exhibitor concerned.
Setting-up must be finished by 6:00 p.m. An extension is possible only in exceptional cases with the written permission of MMG's Technical Exhibition Services Division.
Dismantling must be completed by 16 November 2010 at 6:00 p.m.

B 7 Stand design

Partition walls between the stands will be erected only on demand and the exhibitor will be charged.

One-storey stands:

The maximum construction height and advertising height (upper edge) must not exceed 6 m.

Two-storey stands:

Exhibitors must obtain MMG's explicit written permission before planning a two-storey stand.

The maximum construction height and advertising height must not exceed 7.50 m.

Plans of the stand with ground-plan and sketches must be submitted to MMG's Technical Exhibition Services Division for permission by the given date, at the latest 6 weeks before assembly begins.

B 8 Technical installations

Applications for electric installation, water, drainage, and telephone connections can be considered only if submitted in due time on the order forms available from MMG (Exhibitor Services CD-ROM).

The precise terms and connection fees are stated on these forms.

B 9 Use of equipment

Only cranes, fork-lift trucks and working platforms may be used that have been provided by the MMG under contract. Special equipment requirements must be coordinated with the MMG's Technical Exhibition Services Division.

B 10 Sales regulations

Direct sales and other services or deliveries made from the stand are not permitted. Exhibits may not be delivered to purchasers until after the trade fair closes.

In accordance with section 64 of the trade regulations (GewO), sales are permitted only to wholesalers, retail traders or trade customers.

B 11 Catalog—Internet—Visitor Information System

Each exhibitor (including co-exhibitors and additionally represented companies) must make a package booking (catalog, Internet, visitor information system). The basic entry is mandatory and costs EUR 415.

The content of the basic entry may be seen on the catalog order forms which will be sent to the exhibitor by MMG's official publisher in due time. MMG undertakes no guarantee of the accuracy or completeness of the catalog. Exhibitors will be invoiced by MMG's publisher.

The exhibitor is solely responsible for the permissibility under law—and particularly the law on competition—of any advertisement placed in the trade fair catalog, the Internet database or the visitor information system of Messe München GmbH at the instigation of the advertiser. Should third parties assert claims against Messe München GmbH on account of the impermissibility of the advertisement under law in general or the law on competition, the advertiser shall hold Messe München GmbH fully safeguarded against all claims asserted including all costs of any necessary defence in court on the part of Messe München GmbH. The same applies to exhibitor entries actuated by exhibitors in the trade fair catalog, the Internet database or in the visitor information system of Messe München GmbH.

B 12 Exhibitors' passes (see A 13)

For the duration of the trade fair, each exhibitor receives 3 exhibitors' passes free of charge for a stand of up to 20 m² in size. For every additional 20 m² or part thereof, one additional exhibitor's pass is put at the exhibitor's disposal.

Exhibitors who have booked a combination package in the selected exhibition areas obtain 2 exhibitors' passes free of charge.

The number of exhibitors' passes is not increased for co-exhibitors or additionally represented companies. Additional exhibitors' passes are available from the trade fair management at EUR 30 each. Exhibitors' passes are intended solely for stand personnel, and must not be passed on to third parties.

The exhibitor's pass entitles you to free use of all services provided by MVV—Munich Transport and Tariff Association (subways and suburban trains, trams and buses) from one day before until one day after the fair in the entire MVV network.

B 13 Noise, background noise

MMG's special written permission is required for musical performances on the trade fair grounds. Presentations of equipment, videos, music, and show must not interfere with or disturb visitors or other exhibitors. The maximum permitted noise level for demonstrations of equipment and video performances is 75 dB(A).

Electronically amplified systems are not allowed at the stand.

B 14 Alterations

MMG reserves the right to make alterations and additions in matters affecting technical arrangements and safety.

As of July 2009



Co-exhibitors and additionally represented companies

24th International Trade Fair, New Munich Trade Fair Centre, 9–12 Nov 2010, Tel. (+49 89) 9 49-2 03 31/2 03 13, info@electronica.de, www.electronica.de

Please complete in full and return to: Messe München GmbH, Messengelände, 81823 München, Germany, or **fax to: (+49 89) 9 49-2 03 39**

Main exhibitor

Registration of a

co-exhibitor
(with own staff at the stand)

additionally represented company
(without own staff at the stand)

Company

Contact

Stand no. (if already known)

Address of the co-exhibitor/ additionally represented company

Company

Street/P. O. Box

Country

City

Postal code

Tel.

Fax

Homepage

Type of company (multiple responses possible):

Manufacturer Service company Distributor with exclusive selling rights for Germany

Contact in your company

Contact for trade fair organization

Ms. Mr.

Title

First name

Last name

Position (contact)

Tel. (contact)

Fax (contact)

E-mail (contact)

Contact for our Press Office

Ms. Mr.

Title

First name

Last name

E-mail (contact in your Press Office)

Co-exhibitors

Please tick as appropriate (for co-exhibitors only)

The **invoice and correspondence address** is the address of the **co-exhibitor**. The co-exhibitor orders the services from Messe München GmbH. The services will be charged directly to the co-exhibitor.

The **invoice and correspondence address** is the address of the **main exhibitor**. The main exhibitor orders the services for the co-exhibitor from Messe München GmbH. The services will be charged directly to the main exhibitor.

In the case of additionally represented companies, the invoice can be issued to the main exhibitor only.

The application fee for the co-exhibitor/additionally represented company will always be charged to the main exhibitor.

Should the exhibitor wish to have an invoice amended because of a change in name, legal form or address of the recipient of the invoice, the exhibitor is obliged to pay MMG an amount of EUR 50 plus VAT for each amendment to the invoice concerned unless the details in the original invoice in respect of name, legal form and address of the recipient of the given invoice were incorrect and MMG is responsible for the incorrect details concerned.

Co-exhibitors/
additionally
represented
company

Admission to electronica 2010 subject to the applicant's conformity with the Product Index defined!

Company

Contact

Main product
group
multiple
responses not
possible

If items from several main product groups are exhibited, please indicate where the emphasis lies.

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> 1 Semiconductors | <input type="checkbox"/> 5 Sensor technology | <input type="checkbox"/> 9 Electromechanics/
System peripherals | <input type="checkbox"/> 12 Assemblies and subsystems |
| <input type="checkbox"/> 2 Embedded systems | <input type="checkbox"/> 6 Test and measurement | <input type="checkbox"/> 10 Power supplies | <input type="checkbox"/> 13 Automotive |
| <input type="checkbox"/> 3 Displays | <input type="checkbox"/> 7 Electronic Design (ED/EDA) | <input type="checkbox"/> 11 PCBs, other circuit carriers
and EMS | <input type="checkbox"/> 14 Wireless |
| <input type="checkbox"/> 4 Micronano-systems | <input type="checkbox"/> 8 Passive components | | <input type="checkbox"/> 15 Information gathering
and services |

Product Index
multiple
responses
possible

- | | | |
|---|--|--|
| <p>1 Semiconductors</p> <p><input type="checkbox"/> 1.1 Diodes (including diode networks)</p> <p><input type="checkbox"/> 1.2 Transistors</p> <p><input type="checkbox"/> 1.3 Power semiconductor components</p> <p><input type="checkbox"/> 1.4 Opto semiconductor components</p> <p><input type="checkbox"/> 1.5 Accessories for discrete semiconductors</p> <p><input type="checkbox"/> 1.6 Logic circuits</p> <p><input type="checkbox"/> 1.7 Microprocessors (see Embedded systems)</p> <p><input type="checkbox"/> 1.8 Memory (see Embedded systems)</p> <p><input type="checkbox"/> 1.9 Application-specific ICs (ASSP)</p> <p><input type="checkbox"/> 1.10 Data/signal transformer ICs</p> <p><input type="checkbox"/> 1.11 ICs, special designs (including ASICs/CSICs)</p> <p>2 Embedded systems</p> <p><input type="checkbox"/> 2.1 Development tools, software</p> <p><input type="checkbox"/> 2.2 Development tools, hardware</p> <p><input type="checkbox"/> 2.3 Hardware</p> <p><input type="checkbox"/> 2.4 Peripheral systems</p> <p><input type="checkbox"/> 2.5 DDI and other network-technology components</p> <p><input type="checkbox"/> 2.6 Memories and memory peripherals</p> <p><input type="checkbox"/> 2.7 System solutions</p> <p>3 Displays</p> <p><input type="checkbox"/> 3.1 Liquid Crystal Display (LCD)</p> <p><input type="checkbox"/> 3.2 Plasma Display Panel (PDP)</p> <p><input type="checkbox"/> 3.3 Cathode Ray Tube (CRT)</p> <p><input type="checkbox"/> 3.4 Vacuum Fluorescent Display (VFD)</p> <p><input type="checkbox"/> 3.5 Organic Light-Emitting Diode (OLED)</p> <p><input type="checkbox"/> 3.6 EL display</p> <p><input type="checkbox"/> 3.7 Field Emission Display (FED)</p> <p><input type="checkbox"/> 3.8 Light-Emitting Diode (LED)</p> <p><input type="checkbox"/> 3.9 Surface Conduction Emitter Display (SED)</p> <p><input type="checkbox"/> 3.10 Projection display</p> <p><input type="checkbox"/> 3.11 E-Paper</p> <p><input type="checkbox"/> 3.12 Peripheral equipment for displays</p> <p>4 Micronano-systems</p> <p><input type="checkbox"/> 4.1 Microsystems</p> <p><input type="checkbox"/> 4.2 MEMS</p> <p><input type="checkbox"/> 4.3 Nanotechnology</p> <p>5 Sensor technology</p> <p><input type="checkbox"/> 5.1 Sensors for geometrical parameters</p> <p><input type="checkbox"/> 5.2 Sensors for mechanical parameters</p> <p><input type="checkbox"/> 5.3 Sensors for time and time-based parameters</p> <p><input type="checkbox"/> 5.4 Sensors for temperature and calorific parameters</p> <p><input type="checkbox"/> 5.5 Sensors for climatic parameters</p> <p><input type="checkbox"/> 5.6 Sensors for optical and acoustic parameters</p> <p><input type="checkbox"/> 5.7 Sensors for electrical and magnetical parameters</p> <p><input type="checkbox"/> 5.8 Sensors for chemical parameters</p> <p><input type="checkbox"/> 5.9 Sensors for biological parameters</p> <p><input type="checkbox"/> 5.10 Sensor elements by technology</p> <p>6 Test and measurement</p> <p><input type="checkbox"/> 6.1 Measuring/testing of geometric parameters</p> <p><input type="checkbox"/> 6.2 Mechanical parameters</p> <p><input type="checkbox"/> 6.3 Time and time-based parameters</p> | <p><input type="checkbox"/> 4.7 Thermal units</p> <p><input type="checkbox"/> 4.8 Environmental parameters</p> <p><input type="checkbox"/> 4.9 Chemical and biological parameters</p> <p><input type="checkbox"/> 4.10 Optical and acoustical parameters</p> <p><input type="checkbox"/> 4.11 Image/pattern recognition and processing</p> <p><input type="checkbox"/> 4.12 Electrical parameters</p> <p><input type="checkbox"/> 4.13 Specialized laboratory/test equipment</p> <p>7 Electronic Design (ED/EDA)</p> <p><input type="checkbox"/> 7.1 CAD/CAE tools</p> <p><input type="checkbox"/> 7.2 Generation software</p> <p><input type="checkbox"/> 7.3 Test software</p> <p><input type="checkbox"/> 7.4 Software for special applications</p> <p><input type="checkbox"/> 7.5 Peripheral equipment for ED/EDA environments</p> <p><input type="checkbox"/> 7.6 ED/EDA services</p> <p><input type="checkbox"/> 7.7 Design and development systems</p> <p>8 Passive components</p> <p><input type="checkbox"/> 8.1 Inductors and accessories</p> <p><input type="checkbox"/> 8.2 Capacitors</p> <p><input type="checkbox"/> 8.3 Resistors (including R networks)</p> <p><input type="checkbox"/> 8.4 Radiofrequency and microwave components</p> <p><input type="checkbox"/> 8.5 Polymer components</p> <p><input type="checkbox"/> 8.6 Nonlinear high-voltage components</p> <p><input type="checkbox"/> 8.7 Passive components, miscellaneous</p> <p><input type="checkbox"/> 8.8 Piezoelectric components</p> <p><input type="checkbox"/> 8.9 Magnetic and electronic ceramic products</p> <p>9 Electromechanics/
System peripherals</p> <p>Switches and keyboards</p> <p><input type="checkbox"/> 9.1.1 Switches for continuous connection</p> <p><input type="checkbox"/> 9.1.2 Switches with additional functions</p> <p><input type="checkbox"/> 9.1.3 Electrical keys</p> <p><input type="checkbox"/> 9.1.4 Detector components</p> <p><input type="checkbox"/> 9.1.5 Detector and signaling devices</p> <p><input type="checkbox"/> 9.1.6 Keyboards</p> <p><input type="checkbox"/> 9.1.7 Components and accessories for keyboards</p> <p><input type="checkbox"/> 9.1.8 Initiation devices, manually activated</p> <p><input type="checkbox"/> 9.1.9 Relays</p> <p>9.2 Interconnection components/systems</p> <p><input type="checkbox"/> 9.2.1 Standardized connectors</p> <p><input type="checkbox"/> 9.2.2 Connectors for specific handling</p> <p><input type="checkbox"/> 9.2.3 Connectors, PCB-mountable</p> <p><input type="checkbox"/> 9.2.4 Sockets</p> <p><input type="checkbox"/> 9.2.5 Connectors, application-oriented</p> <p><input type="checkbox"/> 9.2.6 Connectors for telecommunications</p> <p><input type="checkbox"/> 9.2.7 Cables with connectors</p> <p><input type="checkbox"/> 9.2.8 Connectors with additional functions</p> <p><input type="checkbox"/> 9.2.9 Connectors, specific forms</p> <p><input type="checkbox"/> 9.2.10 Miscellaneous connectors</p> <p><input type="checkbox"/> 9.2.11 Accessories for connectors</p> <p><input type="checkbox"/> 9.2.12 Specialized connection/connecting components</p> <p><input type="checkbox"/> 9.2.13 Cables</p> <p>9.3 Casing technology</p> <p><input type="checkbox"/> 9.3.1 System racks</p> <p><input type="checkbox"/> 9.3.2 Build-in and desktop housings</p> | <p><input type="checkbox"/> 9.3.3 Small-scale housings</p> <p><input type="checkbox"/> 9.3.4 Special housings</p> <p><input type="checkbox"/> 9.3.5 Accessories for housings</p> <p><input type="checkbox"/> 9.3.6 Thermal management</p> <p><input type="checkbox"/> 9.3.7 Electronic protection devices (EMI/ESD)</p> <p>10 Power supplies</p> <p><input type="checkbox"/> 10.1 Transformers</p> <p><input type="checkbox"/> 10.2 Coilware for specific applications</p> <p><input type="checkbox"/> 10.3 Accessories for coilware</p> <p><input type="checkbox"/> 10.4 Power supplies, DC output</p> <p><input type="checkbox"/> 10.5 Power supplies, AC output</p> <p><input type="checkbox"/> 10.6 Frequency converters</p> <p><input type="checkbox"/> 10.7 UPS systems</p> <p><input type="checkbox"/> 10.8 Special power supplies</p> <p><input type="checkbox"/> 10.9 Batteries</p> <p><input type="checkbox"/> 10.10 Static current supplies, miscellaneous</p> <p><input type="checkbox"/> 10.11 Power management systems</p> <p><input type="checkbox"/> 10.12 Accessories</p> <p>11 PCBs, other circuit carriers
and EMS</p> <p><input type="checkbox"/> 11.1 Non-PTH single- and double-sided PCBs</p> <p><input type="checkbox"/> 11.2 Double-sided PCBs, PTH</p> <p><input type="checkbox"/> 11.3 Multilayer PCBs (ML)</p> <p><input type="checkbox"/> 11.4 Special PCBs</p> <p><input type="checkbox"/> 11.5 Ceramic PCBs</p> <p><input type="checkbox"/> 11.6 PCBs for backplanes/bus systems</p> <p><input type="checkbox"/> 11.7 EMS Electronic manufacturing services</p> <p><input type="checkbox"/> 11.8 Prototyping</p> <p><input type="checkbox"/> 11.9 Accessories for PCBs</p> <p>12 Assemblies and subsystems</p> <p><input type="checkbox"/> 12.1 Assemblies for control applications</p> <p><input type="checkbox"/> 12.2 Printer assemblies</p> <p><input type="checkbox"/> 12.3 Assemblies, miscellaneous</p> <p><input type="checkbox"/> 12.4 Hybrid modules (including multi-chip modules)</p> <p><input type="checkbox"/> 12.5 Servo technology/Drive elements</p> <p>13 Automotive</p> <p><input type="checkbox"/> 13.1 Drive (engine and gears)</p> <p><input type="checkbox"/> 13.2 Chassis/Steering</p> <p><input type="checkbox"/> 13.3 Brake</p> <p><input type="checkbox"/> 13.4 Interior/Comfort</p> <p><input type="checkbox"/> 13.5 Body/Safety</p> <p><input type="checkbox"/> 13.6 Active safety</p> <p><input type="checkbox"/> 13.7 Electrical on-board power supply</p> <p><input type="checkbox"/> 13.8 Construction and test</p> <p>14 Wireless</p> <p><input type="checkbox"/> 14.1 Cellular systems</p> <p><input type="checkbox"/> 14.2 Non-cellular systems</p> <p><input type="checkbox"/> 14.3 Wireless applications</p> <p><input type="checkbox"/> 14.4 Business partners</p> <p>15 Information gathering
and services</p> <p><input type="checkbox"/> 15.1 Information</p> <p><input type="checkbox"/> 15.2 Approval testing and other services</p> <p><input type="checkbox"/> 15.3 Start-up Forum</p> |
|---|--|--|

This is not a
catalog entry
form

Terms of
Participation
A and B
(enclosed)

The attached Terms of Participation A and B as well as the Technical Guidelines are recognized as legally binding in all parts. Each applicant acting on behalf of a third party shall be directly liable for meeting the demands of MMG in respect of the above fair.

We hereby register the company mentioned above as co-exhibitor/additionally represented company at our stand at electronica 2010. The company has all technical and commercial documents necessary for informing the visitors concerning the exhibits on display. The exhibits correspond with the range of exhibits of electronica 2010.

Place and date

Company stamp and legally binding signature. Please also print name.

A 4 Co-exhibitors and additionally represented companies

A co-exhibitor is one who presents his own goods or services, using his own staff on the stand of another exhibitor (the main tenant). This definition includes group companies and subsidiaries. Agents and representatives are not admitted as co-exhibitors. In the case of an exhibitor who manufactures in his own right, an additionally represented company is any other company whose goods or services are offered by the exhibitor. If an exhibitor, who is a distributor, displays not only the products of one manufacturer but also the goods and services of other companies, then these count as additionally represented companies. Admission of the exhibitor does not mean that a contract has been concluded between the co-exhibitors registered by him for participation or other companies he additionally represents and MMG. The participation of co-exhibitors is only allowed if they have been admitted for participation by MMG. The participation of companies as additionally represented companies is only allowed if this is foreseen in the Special Terms of Participation B and they have been admitted for participation by MMG. Co-exhibitors and additionally represented companies may only be admitted for participation by MMG if they would have qualified for admission as exhibitors in their own right. The participation of co-exhibitors and the participation of companies as additionally represented companies is then subject to payment of the relevant charges if this is required by the Special Terms of Participation B. The charge for co-exhibitors and additionally represented companies is payable by the given exhibitor; it can also be invoiced subsequently by MMG after the trade fair is over. The exhibitor is responsible for ensuring that his co-exhibitors and other companies he represents comply with the Terms of Participation A and B, the Technical Guidelines as well as the instructions of the Trade Fair Management. The exhibitor is liable for the debts and negligence of his co-exhibitors or additionally represented companies as if they were his own. If co-exhibitors make direct use of MMG services, MMG is entitled to invoice the exhibitor for these services. He is jointly and severally liable.

B 2 Permitted exhibits and exhibitors (see A 2)

The following are permitted:

- a) companies whose exhibits correspond with the product index of electronica 2010 (see enclosure). Please tick only one of the main product groups in the product index. The location of your company's stand in a specific trade fair hall depends on the main product group you tick. Articles other than those permitted and registered may not be exhibited.
We cannot process your application without a duly completed Product Index.
- b) exhibitors with the following qualifications: German and foreign manufacturers and service companies, as well as trading companies that can prove they have been authorized by the manufacturer to exhibit its products.

MMG has the final decision. Organizers of joint stands are not exhibitors as defined by the Special Terms of Participation. There is no right to admission.

B 3 Co-exhibitors and additionally represented companies (see A 1, A 2, A 4)

The participation of companies as co-exhibitors/additionally represented companies (cf. 4) is as a general rule possible. Participation in such cases is, however, subject to the prior authorization of MMG. Permission to participate may be granted only if the co-exhibitor/additionally represented company concerned would also have been eligible to participate as an exhibitor. There is an application fee of EUR 200 for each co-exhibitor or additionally represented company. Co-exhibitors and additionally represented companies must be registered on a separate form by the main exhibitor.

B 11 Catalog—Internet—Visitor Information System

Each exhibitor (including co-exhibitors and additionally represented companies) must make a package booking (catalog, Internet, visitor information system). The basic entry is mandatory and costs EUR 415.

The content of the basic entry may be seen on the catalog order forms which will be sent to the exhibitor by MMG's official publisher in due time. MMG undertakes no guarantee of the accuracy or completeness of the catalog. Exhibitors will be invoiced by MMG's publisher. The exhibitor is solely responsible for the permissibility under law—and particularly the law on competition—of any advertisement placed in the trade fair catalog, the Internet database or the visitor information system of Messe München GmbH at the instigation of the advertiser. Should third parties assert claims against Messe München GmbH on account of the impermissibility of the advertisement under law in general or the law on competition, the advertiser shall hold Messe München GmbH fully safeguarded against all claims asserted including all costs of any necessary defence in court on the part of Messe München GmbH. The same applies to exhibitor entries actuated by exhibitors in the trade fair catalog, the Internet database or in the visitor information system of Messe München GmbH.

Status: July 2009



Messe München
International

General Terms of Participation (A)

New Munich Trade Fair Centre

A 1 Applications

All potential exhibitors wishing to take part in the event must express their wish to do so by fully completing and signing the „Application“ form and submitting it to MMG by the application deadline (see B 1). With the application, exhibitors express to MMG their serious interest in taking part in the event as exhibitors. All exhibits must

be described precisely in the application form. Co-exhibitors and additionally represented companies must be named in the application form. The same particulars must be specified as for the exhibitor. Incomplete applications cannot be considered. This application procedure does not apply to organisers of joint stands. They are not exhibitors as defined by the Terms of Participation.

A 2 Eligible exhibits and exhibitors

The exhibitor accepts that the Terms of Participation A and B and the Technical Guidelines are legally binding as soon as an application has been submitted. MMG sends the exhibitor a written placement proposal (stand offer). The exhibitor must accept this placement proposal within the set time limit. The exhibitor's acceptance of the placement proposal represents his contractual offer, from which the exhibitor cannot withdraw once it has been received by MMG. MMG's notice of admission also constitutes its acceptance of contract. As a general rule, the acceptance of contract occurs in such a timely manner as to provide the exhibitor with sufficient time for the appropriate preparation of his or her participation at the given event. The acceptance of contract can occur within a period of up to three months following the submission of the contractual offer. The acceptance of contract can also occur at a subsequent point in time if MMG has informed the exhibitor to this effect in text form prior to his or her submission of the contractual offer. The length of the acceptance period is necessary due to the fact that MMG may have to undertake space reallocation that may affect exhibitors on account above all of the rejection of proposed allocations by other exhibitors and the subsequent submission of applications by other exhibitors.

The length of the application acceptance period we have set is necessary because MMG is forced to organise relocations potentially impacting on exhibitors due above all to placement proposals that are rejected and subsequent applications submitted by further exhibitors.

Exhibitors do not have a legal claim to admission unless such a claim exists by law. Exhibitors who have not fulfilled their financial obligations vis-à-vis MMG, e.g. in respect of previous events, or have infringed the regulations governing the use of the New Munich Trade Fair Centre or M,O,C, or the Terms of Participation, may be excluded from admission.

MMG is entitled to withdraw from the contract or to terminate the contractual relationship without notice if admission was based on incorrect or incomplete statements by the exhibitor, or if, at a later date, the exhibitor no longer fulfils the conditions for admission.

Only such items as have been declared and admitted may be exhibited. Hired or leased items may not be exhibited. An exception is made in the case of objects which are not part of the given exhibitor's range of goods, but which are required for the exhibitor's display (e.g. for demonstration purposes). No products may be exhibited that were manufactured by way of exploitative child labour as defined under the provisions set out in ILO Convention 182.

Co-exhibitors may not be admitted, nor additional organisations represented, unless expressly specified in the notice of admission.

MMG reserves the right to deviate from the type, size, and location of the exhibition area desired by the exhibitor, to exclude certain exhibits from admission, and to impose conditions on admission. The exhibitor's reservations, conditions, and particular wishes (e.g. regarding location, exclusion of competitors, stand construction or design) will be taken into account only if expressly confirmed in the notice of admission. Space will be allocated according to MMG's requirements and the prevailing conditions, and in accordance with the classification system for the trade fair as applied by MMG at its own discretion, and not according to the order in which applications are received.

A 3 Rental contract

The rental contract comes into force when MMG has notified the exhibitor in writing that he has been admitted. This generally occurs when layout planning has been completed. The allocation of the other stands, in particular of neighbouring stands, can change up until the time the trade fair opens. MMG is also entitled to relocate or close entrances to and exits from the trade fair grounds and halls, and to make other structural alterations. Exhibitors cannot make claims against MMG because of such changes. MMG may also subsequently, i.e. after the rental contract has come into force, change space allocations, and in particular change the location, type, dimensions and size of the exhibition area rented by the exhibitor, insofar as this is necessary for reasons of safety or public order, or because the trade fair is oversubscribed and further exhibitors must be admitted or because changes in assignments of exhibition space ensure that the facilities and space required for the trade fair are used more efficiently. However, such subsequent changes may not exceed the scope which the exhibitor can reasonably be expected to accept. Should such subsequent changes result in a lower participation fee, the difference in amount will be refunded to the exhibitor. Further claims against MMG are excluded.

If exhibitors cannot use their stand space or are prevented from making full use of same because they have infringed legal or official regulations or the Terms of Participation A and B or the Technical Guidelines, they are nevertheless obliged to pay the participation fee in full and to pay MMG compensation for all damage caused by themselves, their legal representatives or employees; exhibitors are not entitled to cancel or terminate the contract unless the law specifically entitles them to do so.

The exhibitor may not move, exchange or share his stand, nor surrender it either in part or in full to such third parties as are neither co-exhibitors admitted by MMG nor additionally represented companies admitted by MMG without MMG's prior written consent.

A 4 Co-exhibitors and additionally represented companies

A co-exhibitor is one who presents his own goods or services, using his own staff on the stand of another exhibitor (the main tenant). This definition includes group companies and subsidiaries. Agents and representatives are not admitted as co-exhibitors.

In the case of an exhibitor who manufactures in his own right, an additionally represented company is any other company whose goods or services are offered by the exhibitor. If an exhibitor, who is a distributor, displays not only the products of one manufacturer but also the goods and services of other companies, then these count as additionally represented companies.

Admission of the exhibitor does not mean that a contract has been concluded between the co-exhibitors registered by him for participation or other companies he additionally represents and MMG. The participation of co-exhibitors is only allowed if they have been admitted for participation by MMG. The participation of companies as additionally represented companies is only allowed if this is foreseen in the Special Terms of Participation B and they have been admitted for participation by MMG. Co-exhibitors and additionally represented companies may only be admitted for participation by MMG if they would have qualified for admission as exhibitors in their own right. The participation of co-exhibitors and the participation of companies as additionally represented companies is then subject to payment of the relevant charges if this is required by the Special Terms of Participation B. The charge for co-exhibitors and additionally represented companies is payable by the given exhibitor; it can also be invoiced subsequently by MMG after the trade fair is over.

The exhibitor is responsible for ensuring that his co-exhibitors and other companies he represents comply with the Terms of Participation A and B, the Technical Guidelines as well as the instructions of the Trade Fair Management. The exhibitor is liable for the debts and negligence of his co-exhibitors or additionally represented companies as if they were his own. If co-exhibitors make direct use of MMG services, MMG is entitled to invoice the exhibitor for these services. He is jointly and severally liable.

A 5 Cancellation of contract

If the location, type, dimensions or size of the exhibition area rented by the exhibitor are subsequently changed to the extent that the exhibitor can no longer be reasonably expected to ac-

cept the exhibition area, the exhibitor is entitled to withdraw from the rental contract within one week of receiving written notification by MMG. Otherwise, apart from his statutory rights to withdraw from the contract, the exhibitor has no right to withdraw from this contract.

Should the exhibitor declare his or her withdrawal from the given event, MMG is, irrespective of whether the exhibitor concerned has the right of cancellation, entitled to otherwise dispose of the rented space. Any exhibitor cancelling his or her participation without being entitled to do so and, as such, defaulting on fulfilment of contract without good reason, is to pay MMG the participation fee if the stand space is left empty during the event or even if MMG is able to re-let the space concerned; in the latter case, however, MMG is to offset the value of the expense saved and the advantages it has gained by re-letting or otherwise using the given stand space. In addition to re-letting the stand space to another exhibitor, other usage thereof may also and above all involve MMG transferring its usage to a third party who would otherwise have been placed elsewhere to avoid giving the impression of a gap in the stand arrangement or re-designing the stand space to conceal the fact that is not occupied. To the extent that MMG re-lets the stand space to another exhibitor, who would otherwise have not been placed elsewhere, the exhibitor must pay 25% of the agreed participation fee as flat-rate compensation for expenses incurred by MMG because the exhibitor withdrew from the contract without being entitled to do so. MMG's right to claim further damages remains unaffected. The exhibitor can demand that the flat-rate compensation be reduced if he proves that MMG has incurred fewer expenses.

MMG is entitled to withdraw from the contract if the exhibitor fails to meet his financial obligations to MMG on time, MMG has extended the deadline by 5 days and this deadline for payment has not been met. MMG is also entitled to withdraw from the contract if the exhibitor neglects his duty arising from this contract to respect MMG's rights, objects of legal protection and interests and MMG can no longer reasonably be expected to adhere to the contract. In the aforementioned cases, MMG is entitled not only to withdraw from the contract but also to demand from the exhibitor the agreed participation fee as flat-rate compensation. MMG's right to claim further damages remains unaffected. The exhibitor can demand that the flat-rate compensation be reduced if he proves that MMG has sustained less damage.

A 6 Force majeure, cancellation of the event

If MMG is compelled, as a result of force majeure or other circumstances beyond its control (e.g. failure of the power supply), to vacate one or more exhibition areas temporarily or for longer periods, or to postpone or curtail the trade fair, the exhibitors do not thereby acquire the right to withdraw or cancel, nor do they have any other claims against MMG, in particular claims for damages.

If MMG cancels the event because it cannot hold the event as a result of force majeure or other circumstances beyond its control, or because it has become unreasonable for MMG to hold the event, MMG is not liable for damages and disadvantages to exhibitors arising from the cancellation of the event.

A 7 Participation fees, right of distraint

The participation fees are calculated in accordance with the rates specified in the Special Terms of Participation (see Part B „Participation fees“). Each square metre or part thereof will be included in full in the calculation, the floor area always being considered rectangular, without taking account of projections, supports, service connections and the like. In accordance with the Special Terms of Participation (see Part B „Advance payment for services“, a lump-sum advance payment will be charged for such services (e.g. electricity, water and telephone connections, technical services, lettering, supply of electricity, water, etc.) as the exhibitor can use on his stand, provided they have been ordered previously and in good time as specified in the Order Forms for Exhibitor Services, regardless of the existence or size of an order. The advance payment for services does not include stand construction and publishing services (catalogue entries, Internet services, etc.). If the actual cost of the services exceeds the advance payment for services, the exhibitor will be charged the difference between the actual cost of the services and the advance payment in the final invoice, issued several weeks after the end of the event. Payment is due immediately upon receipt of the invoice. If the advance payment for services exceeds the actual cost of the services, the exhibitor will be refunded the difference between the advance payment and the actual cost of the services several weeks after the end of the event. The exhibitor has no claim to interest on the advance payment for services.

The exhibitor will usually receive the invoice for the participation fee, with which the advance payment for services is also charged, together with notice of admission. Notice of admission and invoice are as a general rule combined in one printed form.

The participation fee, the advance payment for services and the fee for admitting co-exhibitors must be paid before occupying the exhibition area. If exhibitors have ordered MMG services, MMG is entitled to withhold such services, including the supply of electricity, water, compressed air, etc., until the exhibitor has fulfilled his financial obligations to MMG. This applies in particular to obligations arising from previous events. Terms and conditions of payment are in accordance with the Special Terms of Participation (see Part B „Terms and conditions of payment“).

MMG reserves the right to enforce its lessor's distraint entitlement, as permitted by law, in order to secure its claims arising from the rental. The exhibitor must inform MMG at any time about the ownership of items that are exhibited or to be exhibited. If an exhibitor does not meet his financial obligations, MMG can retain the exhibits and stand fittings and, at the exhibitor's expense, sell them at public auction or privately. The legal provisions on the realisation of the pledge are – as far as permitted by law – waived. MMG does not accept liability for damage to exhibits and stand fittings retained under this clause, unless MMG is guilty of intent or gross negligence.

Value-added tax legislation prevents Messe München GmbH from issuing or re-addressing invoices for services the MMG has or will render to the exhibitor as its contracting party, to an addressee other than the exhibitor.

Should the exhibitor wish to have an invoice re-issued because the name, legal form or address of the exhibitor has changed, the exhibitor is bound to pay MMG a fee of EUR 50.00 plus VAT for each invoice amendment unless the data included in the original invoice in respect of the name, legal form or address of the exhibitor was incorrect and MMG was responsible for the incorrect data.

A 8 Warranty

Complaints about any defects in the stand or exhibition area are to be made in writing to MMG immediately on occupying the exhibition area, but by the last day of the stand set-up period at the latest, so that MMG can remedy such defects. Later complaints cannot be considered and cannot give rise to claims against MMG.

A 9 Liability and insurance

MMG is liable for personal injury (damage arising from injury to life, body or health) caused by neglect of duty for which MMG, its legal representatives or employees are responsible, as well as for other damage caused by intentional or grossly negligent breach of duty by MMG, its legal representatives or employees. MMG is also liable for any damage caused by negligent breach of cardinal duties by MMG, its legal representatives or employees. In these cases MMG is liable only if the damage is typical damage and not consequential damage and then only up to 5 times the net participation fee, at most, however, EUR 100,000 per claim. This limitation of liability applies only to entrepreneurs, legal persons under public law or special funds under public law. If the exhibitors are entrepreneurs, legal persons under public law or special funds under public law, MMG is under no circumstances liable for damage to or loss of goods brought to the trade fair by the exhibitor or the stand fittings or furnishings. In this case, it is immaterial whether such damage or loss occurs before, during or after the trade fair. The same applies to vehicles left on the trade fair grounds by exhibitors, their employees or representatives.

For his part, the exhibitor is liable for any culpable damage to persons or property caused by him, his employees, representatives and exhibitors and their exhibition items or exhibition installations and equipment. In order to offer all exhibitors an appropriate insurance coverage option, MMG has con-

cluded with the Bayerische Versicherungsbank AG – Allianz Versicherung AG München a framework insurance contract via which each exhibitor can take out a policy. The insurance coverage encompasses both the exhibitor's own exhibition goods (transport and exhibition risks including burglary and theft) as well as the exhibitor's personal liability vis-à-vis third parties. An information sheet concerning the scope and cost of the insurance as well as application forms will be sent to exhibitors in good time. Each exhibitor is obliged to take out such insurance either with the Bayerische Versicherungsbank AG – Allianz Versicherung AG or such other insurance company as is licensed to operate in the European Union and to pay the premiums incurred (including insurance tax) in good time. You may apply for such insurance using the forms included in the Order Forms for Exhibitor Services.

A 10 Photography, filming, video recording, and sketching

Only persons authorised by MMG and in possession of a valid MMG pass may film, photograph, or make sketches or video recordings in the exhibition halls. Under no circumstances may photographic or other images or recordings be made of other exhibitors' stands. If this rule is infringed, MMG can demand that the recorded material be surrendered and take legal steps to achieve this end. Photographs of stands which are to be taken outside normal opening hours and need special lighting require MMG's prior consent. Such photographs require the main ring circuit to be switched on by the hall electrician. The exhibitor will be charged the costs incurred, insofar as they are not borne by the photographer. MMG is entitled to have photographs, drawings, films and video recordings made of events at the trade 0

A 11 Advertising

The distribution of printed matter and usage of advertising media is only admissible on the exhibitor's own stand. The execution of advertising activities outside the confines of the given stand is prohibited at the trade fair centre unless the advertising activities concerned are ones for which the exhibitor has placed an order with MMG (Exhibitor Centre). Advertising activities involve also and above all the usage of persons carrying advertising as well as the distribution and location of advertising materials of any kind (posters, stickers, brochures, etc.) on the exhibition premises, in the passages between the halls, in the atrium, in the loading yards, in the outdoor exhibition area as well as in the trade fair centre parking areas. MMG is entitled to expel such persons as are used for carrying advertising in a prohibited manner from the trade fair centre and to confiscate and/or remove and/or destroy such advertising materials as are prohibited and demand flat-rate compensation of EUR 300.00 plus VAT for each individual case from the exhibitor on whose behalf the advertising activities were being executed. MMG's right to claim further damages remains unaffected. The exhibitor can demand that the flat-rate compensation be reduced if he proves that MMG has incurred fewer expenses.

A 12 Catering, deliveries to stands

Any catering services provided on the stand are the responsibility of the given exhibitor. Any permit in accordance with section 12 of the German Restaurant Licensing Act (Gaststättengesetz) that may be required for the provision of food and beverages on the stand must be applied for with the relevant city authorities at Kreisverwaltungsreferat München, Ruppertstr. 19, 80313 München, Germany.

All relevant statutory regulations, particularly those in respect of the protection of non-smokers, require compliance. Exhibitors also have the option of appointing MMG contractors with catering operations at the trade fair centre to provide catering services on the given stand.

The supply of deliveries to exhibition stands particularly from sources located outside the trade fair centre is only possible to a limited extent. MMG is entitled to permit deliveries to stands at specific times only.

A 13 Combating brand and product piracy

Exhibitors are obliged to respect the property rights to which third parties are entitled. In cases where it is proved to exhibitors in a proper and orderly way that their exhibiting or offering of products or services and/or their promotional presentation or some other activity infringes the property rights to which a third party is entitled, the exhibitor undertakes in advance to remove the items concerned from the stand.

If an exhibitor has been prohibited from exhibiting or offering products or services and/or promotionally presenting same by way of a decision handed down by a German court (verdict, order), and the given exhibitor refuses to comply with the court decision to refrain from exhibiting or offering products or services and/or promotionally presenting same on his exhibition stand, MMG is entitled to exclude the given exhibitor from the event concerned and or future events providing the court decision has not been superseded by a decision passed subsequently by way of appeal proceedings. In such cases, no refund of the stand rental (in part or in full) is made. MMG is not obliged to check the correctness of the court decision. Exclusion of the exhibitor affected by the court decision cannot be legally asserted. If the court decision, by way of which exclusion of the exhibitor has occurred, is superseded by a court decision passed subsequently by way of appeal proceedings, the exhibitor, who had been correctly excluded on the basis of the previous court decision, is not entitled to claim compensation from MMG.

The members of the Intellectual Property Panel, which is active at the trade fair with MMG's approval, are entitled at all times to access a given exhibitor's stand and examine the exhibits displayed on the stand to determine whether the trademark rights, copyrights or competition rights of those persons lodging an appeal with the Intellectual Property Panel are being violated.

A 14 Set-up/Dismantling badges and exhibitor badges

Depending on the concept and planning of the event concerned, badges are generally provided for the given set-up and dismantling periods. In such cases, exhibitors are given free badges issued in the name of such of their own and external workers as are needed for the set-up and dismantling periods to the extent that no ruling to the contrary is stipulated in the Special Terms of Participation. The badges concerned are valid for the set-up and dismantling periods only and do not entitle the holder to access the trade fair centre during the event proper. Set-up/Dismantling badges may not be passed on to such third parties as are unauthorised. Such third parties are unauthorised as are not employed on either a full- or part-time basis by the given exhibitor. For the time during which the trade fair is held, the exhibitor receives a number of free exhibitor badges as specified in the Special Terms of Participation. Any additional exhibitor badges requested are subject to a charge. All exhibitor badges are issued in the name of the authorised person and are not transferable. Exhibitor badges may not be given away or sold to unauthorised third parties, e.g. to persons or companies wishing to offer goods for sale or to render services at the trade fair centre without corresponding authorisation from MMG. Set-up/Dismantling badges and exhibitor badges are issued only after payment of the participation fee in full including the charge for the admission of any co-exhibitors.

A 15 Set-up, staffing and dismantling of stand

The dates for stand set-up and dismantling as specified in the Special Terms of Participation must be strictly observed. Stands not occupied by the last day of the set-up period may be disposed of as MMG sees fit.

Exhibitors admitted to the fair undertake to participate in the event. The stand must be properly equipped and staffed by qualified personnel throughout the trade fair during the prescribed opening hours. Particular attention should be paid to ensuring that the stand is already fully staffed when the trade fair opens. Exhibitors are not permitted to remove trade fair goods or dismantle their stands before the trade fair closes. If they break this rule, MMG is entitled to demand a penalty of EUR 500.

MMG is entitled to exclude from future trade fairs any exhibitor whose stand is staffed by insufficiently qualified personnel during the trade fair's opening hours, who exhibits an incomplete range of goods or goods not admitted to the trade fair, who vacates or clears his stand before the end of the trade fair, or who otherwise infringes the Terms of Participation, without prejudice to MMG's right to cancel the contract in accordance with Section A 5 Cancellation of contract and to a claim for all costs thereby incurred.

A 16 Verbal agreements

All verbal agreements, individual and special arrangements are valid only with MMG's written confirmation.

A 17 House and usage regulations

Exhibitors must strictly observe the regulations governing the use of the trade fair centre and its grounds (New Munich Trade Fair Centre). Exhibitors are not permitted to spend the night in the halls or on the grounds. Exhibitors must treat the other participants at the event with respect, may not act contrary to public moral policy and may not misuse their participation at the event for ideological, political or other such purposes as have nothing to do with the event. MMG members of staff are entitled to access the stand of a given exhibitor by order of MMG at any time.

A 18 Period of limitation

All the exhibitor's claims against MMG arising from the stand rental, and all legal proceedings in connection therewith lapse after a period of six months. This period of limitation starts at the end of the month in which the closing date of the fair falls.

A 19 Place of performance, applicable law

If the exhibitor is a trader, legal person under public law or special fund under public law, Munich is considered the place of performance, for all financial obligations too. Only German law applies.

A 20 Jurisdiction, arbitration agreement

The following applies to exhibitors with their principal place of business within the Federal Republic of Germany:

If the exhibitor is a trader, legal person under public law or special fund under public law, the Munich courts have jurisdiction. MMG is also entitled, if it so wishes, to bring an action against the exhibitor at the court which has jurisdiction at the exhibitor's principal place of business.

The following applies to exhibitors with their principal place of business outside the Federal Republic of Germany but within the area of application of Regulation (EC) No. 44/2001, the EC Convention on Jurisdiction and the Enforcement of Judgments in Civil and Commercial Matters and the Lugano Convention:

If the exhibitor is engaged in a trade or business and does not fall under the general jurisdiction of the Federal Republic of Germany, the Munich courts have jurisdiction for all disputes arising from or in connection with this contract. MMG is also entitled, if it so wishes, to bring an action against the exhibitor at the court which has jurisdiction at the exhibitor's principal place of business.

The following applies to exhibitors with their principal place of business outside the Federal Republic of Germany and outside the area of application of Regulation (EC) No. 44/2001, the EC Convention on Jurisdiction and the Enforcement of Judgments in Civil and Commercial Matters and the Lugano Convention:

All disputes arising from or in connection with this contract whose value does not exceed EUR 100,000.00 are decided by the Euroarbitration of the European network REAM. The court of arbitration of the Italian Chamber of Commerce in Munich is the arbitration centre. Arbitration proceedings are held in Munich and conducted in German. A sole arbitrator decides on the dispute as seems fair and reasonable. The parties undertake to abide by the arbitral award.

Disputes exceeding a value of EUR 100,000.00 are subject to the arbitration of the court of arbitration of the Italian Chamber of Commerce in Munich with its rules of arbitration. Arbitration proceedings are held in Munich and conducted in German. A sole arbitrator decides on the dispute as seems fair and reasonable. The parties undertake to abide by the arbitral award.

A 21 Data protection

In compliance with data protection legislation, the person-related data of the participant is processed and used for fulfilling the business purposes of MMG as well as being forwarded to third parties, in order to above all fulfil the purpose of the contract concerned.

A 22 Severability clause

Should the provisions set out in the Terms of Participation or Technical Guidelines be invalid or incomplete, the validity of the other provisions of the contract remains unaffected. In such case, the contracting parties undertake to replace the invalid provision and/or fill the gap with a provision with which the contracting parties are most likely to achieve the economic purpose they pursue.

In case of divergence between the English and the German text, the German prevails.

Status: October 2008
001002002/99,7/10.08 Druck-Ring



Table of contents

1. Preface	5. Operational safety, technical safety regulations, other technical requirements and supply systems
1.1. House rules	5.1. General regulations
1.2. Opening hours	5.1.1. Damage
1.2.1. Stand construction and dismantling times	5.2. Use of machinery
1.2.2. Duration of the event	5.3. Electrical installation
2. Traffic within the trade fair centre, emergency routes, safety equipment	5.3.1. Connections
2.1. Road traffic regulations	5.3.2. Stand installation
2.2. Emergency routes	5.3.3. Installation and operating regulations
2.2.1. Fire service movement zones, fire hydrants	5.3.4. Safety precautions
2.2.2. Emergency exits, escape hatches, hall aisles	5.3.5. Safety lighting
2.3. Safety equipment	5.4. Installation of water/waste water facilities
2.4. Stand numbering	5.4.1. Connections
2.5. Security	5.4.2. Stand installation
2.6. Evacuation	5.5. Installation of compressed-air facilities
3. Technical data and features of the halls and the outdoor exhibition area	5.5.1. Connections
3.1. Hall data	5.5.2. Stand installation
3.1.1. Normal lighting, type of current, voltage	5.5a. Gas installation
3.1.2. Supply of compressed air, electricity, gas and water	5.5a.1. Connections
3.1.3. Communications equipment	5.5a.2. Stand installation
3.1.4. Sprinkler systems	5.5b. Information and communications services
3.1.5. Heating, ventilation	5.6. Machinery, pressure containers and exhaust systems
3.1.6. Faults	5.6.1. Machine noise
3.2. Outdoor exhibition area	5.6.2. Equipment Safety Code
3.3. Clearance heights	5.6.2.1. Safety devices
4. General stand construction regulations	5.6.2.2. Test procedures
4.1. Stand construction safety	5.6.2.3. Operating ban
4.2. Stand construction approval	5.6.3. Pressure containers
4.2.1. Stand structures subject to inspection and approval	5.6.3.1. Acceptance certificates
4.2.2. Vehicles and containers	5.6.3.2. Testing
4.2.3. Removal of non-compliant stand structures	5.6.3.3. Hired equipment
4.2.4. Extent of liability	5.6.3.4. Verification
4.3. Construction heights	5.6.4. Exhaust gases and vapours
4.4. Fire prevention	5.6.5. Exhaust systems
4.4.1. Fire prevention and safety regulations	5.7. Use of compressed gases, liquid gases and flammable liquids
4.4.1.1. Stand construction and decorative materials	5.7.1. Compressed gas
4.4.1.2. Motor vehicles as exhibits	5.7.2. Liquid gas
4.4.1.3. Explosive substances, ammunition	5.7.3. Flammable liquids
4.4.1.4. Pyrotechnics	5.8. Asbestos and other dangerous substances
4.4.1.5. Use of balloons, airships and other flying objects	5.9. Assembly rooms (Film, slide and television shows and other presentations)
4.4.1.6. Smoke machines	5.10. Radiation protection
4.4.1.7. Ash containers, ashtrays	5.10.1. Radioactive materials
4.4.1.8. Containers for non-recyclable, recyclable and residual waste	5.10.2. X-ray equipment and spurious radiation equipment
4.4.1.9. Spray guns, nitro-cellulose paints	5.10.3. Laser equipment
4.4.1.10. Part-off grinding and all work with naked flames	5.10.4. High-frequency equipment, radio systems, electromagnetic fields
4.4.1.11. Empty packaging	5.11. Cranes, fork-lift trucks, exhibition goods, packaging, goods consignments
4.4.2. Stand coverings	5.12. Musical reproduction
4.4.3. Glass and acrylic sheet	5.13. Beverage dispensing systems
4.4.4. Rooms used by staff	5.14. Food supervision
4.5. Exits, escape routes, doors	5.15. Disturbance due to exhibition goods
4.5.1. Exits, escape routes	6. Environmental protection
4.5.2. Doors	6.1. Waste management
4.6. Platforms, ladders, ascents, bridges	6.1.1. Waste disposal
4.7. Stand design	6.1.2. Waste requiring special supervision
4.7.1. Appearance	6.1.3. Waste brought to the trade fair centre
4.7.2. Checking stand size	6.2. Water, waste water, ground protection
4.7.3. Structural modifications to halls	6.2.1. Oil/Grease separators
4.7.4. Hall floors	6.2.2. Cleaning/Detergents
4.7.5. Suspending items from the hall ceiling	6.3. Environmental damage
4.7.5.1. Provision of fixing points	
4.7.5.2. Attaching items to the fixing points	
4.7.6. Stand perimeter walls	
4.7.7. Advertising materials/Presentations	
4.8. Outdoor exhibition area	
4.8.1. Checking stand size	
4.8.2. Stand construction	
4.8.3. Dismantling	
4.8.4. Other regulations	
4.9. Two-storey stand construction	
4.9.1. Application for planning permission	
4.9.2. Height of stand structures, conditions applying to covered stand areas, height of internal stand areas, minimum distances	
4.9.3. Working loads/Load acceptance	
4.9.4. Escape routes/Stairways	
4.9.5. Building materials	
4.9.6. Upper storey	
4.10. Dismantling stands	

1. Preface

Messe München GmbH – MMG – has issued guidelines for the fairs and other events it holds with the aim of providing all exhibitors/organisers with optimum conditions for presenting their exhibits and addressing their visitors and other interested parties.

The Technical Guidelines are a constituent part of the contracts MMG concludes with its exhibitors, organisers, service companies, stand-building companies and other service providers. These exhibitors, organisers, service companies and other service providers undertake to ensure that all their contractual partners, who are active or merely present at the trade fair centre, comply with these Technical Guidelines. MMG is entitled to demand that all persons active or merely present at the trade fair centre comply with the Technical Guidelines. As far as fairs, exhibitions and other events run by an organiser other than MMG are concerned, the given organiser is, alongside MMG, entitled and obliged to demand of his customers and their contractual partners that they comply with the Technical Guidelines.

In the interests of our exhibitors and visitors, these Technical Guidelines include safety regulations that are intended to ensure a high standard of safety where technical and stand construction considerations are concerned.

The regulations applicable to fire prevention, construction and other safety precautions have been agreed with the relevant offices of the Munich Department of Works in their function as the local authority responsible for construction and technical acceptance in respect of fairs and exhibitions.

MMG reserves the right to check compliance with these regulations and to take appropriate action should they be violated. The relevant statutory regulations applying at the given time must also be observed.

For safety and stand construction purposes, MMG is entitled to impose requirements above and beyond those stipulated in these Technical Guidelines.

The Order Forms for Exhibitor Services will be available in good time. The order forms are to be completed and returned in accordance with the deadlines set out in the Order Forms for Exhibitor Services. Depending on the fair or event concerned, orders can in some cases be placed electronically via the Internet-based online ordering system.

Orders only become valid if they are accepted. Acceptance may be given tacitly, i.e. by means of provision of the service ordered. Exhibitors are not entitled to acceptance of their orders unless the law gives rise to such an entitlement. Acceptance of an order can be refused, particularly in cases where the exhibitor/organiser concerned has not fulfilled his financial obligations vis-à-vis MMG, e.g. those outstanding from previous events. In addition, MMG reserves the right to charge a supplement on the stand fees in accordance with the details shown in the Order Forms for Exhibitor Services for any orders received after the deadline.

After stand space has been allocated, circulars will be sent to the exhibitors informing them of further details concerning the preparation and organisation of the fair.

These Technical Guidelines have been agreed by:

Deutsche Messe AG Hannover
Koelnmesse GmbH
Leipziger Messe GmbH
Messe Berlin GmbH
Messe Düsseldorf GmbH
Messe Frankfurt GmbH
Messe München GmbH

in order to formulate them with a common structure.

Moreover, MMG reserves the right to make any changes it deems necessary.

The German text is binding.

1.1. House rules

The trade fair centre is private property. The owner is Messe München GmbH – MMG –, Messegelände, 81823 München, Tel. +49 (0)89 949-01. MMG and the respective organiser exercise domiciliary rights.

The house and usage rules apply to all persons entering MMG's private grounds. The rules are clearly posted at the access points to the trade fair centre.

1.2. Opening hours

1.2.1. Stand construction and dismantling times

During the general stand construction and dismantling periods, work can be done in the halls and outdoor exhibition area between 7.30 am and 10 pm insofar as no other times have been specified for the given fair.

For general safety reasons, the halls and the exhibition grounds are closed outside these times. An extension to these times is only possible in exceptional circumstances and requires the written consent of MMG's Technical Exhibition Services Division.

1.2.2. Duration of the event

During the period of the actual event, the halls are opened one hour prior to the official opening time and closed one hour after the official closing time. MMG reserves the right to impose special arrangements in this respect. Exhibitors who need to work on their stands outside these times due to exceptional circumstances require the written consent of MMG's Technical Exhibition Services Division.

2. Traffic within the trade fair centre, emergency routes, safety equipment

2.1. Road traffic regulations

The driving of any vehicle within the trade fair centre is at the driver's own risk and only allowed with a special permit, valid entry authorisation or valid parking pass. During the event, the driving or parking of any vehicle within the trade fair centre is strictly prohibited. MMG can however make exceptions and issue appropriate parking or entry permits. MMG is entitled to raise a charge for the issue of parking or entry permits.

The parking or entry permit is to be placed behind the windscreen of the given vehicle so that it is clearly visible. The regulations arising from the use of parking or entry permits require strict compliance. Parking or entry permits are to be returned at any time at the request of the MMG staff deployed for traffic control purposes or of the security personnel. Parking and/or entry permits are only valid for the vehicle for which they have been issued.

MMG is entitled to ask for a deposit in return for entry into the trade fair centre and to limit the maximum length of stay. The deposit paid is forfeited if the maximum length of stay is exceeded. This ruling applies during the stand construction and dismantling periods as well as in cases where MMG has allowed the trade fair centre to be accessed during the period of the actual event.

The German Road Traffic Regulations apply throughout the entire trade fair centre and the exhibition car parks. A maximum speed limit of 20 km/h applies within the exhibition grounds. Inside the halls, vehicles may only be driven at walking pace; this ruling also applies to the rest of the trade fair centre during the period of the actual event.

Vehicles may only enter the halls for the purposes of loading and unloading. Care must be taken to en-

sure that no existing supply connections and other technical infrastructure items are damaged. The stipulated load-bearing capacity of the hall floors must be noted and complied with, as must the height and width of the gates. Engines should be switched off during loading and unloading. The parking of vehicles in the halls is strictly prohibited. MMG reserves the right to deny motorised access to the halls for reasons it considers justified. Pedestrians are to be given maximum consideration. No vehicles are allowed to access paths or green areas that have been cordoned off.

Mobile homes and caravans may not be brought on to the trade fair centre for accommodation purposes. Areas MMG designates as camping sites for a specific event are excluded from this ruling.

Vehicles are not allowed to stop under any circumstances throughout the entire trade fair centre except in those areas designated accordingly. MMG reserves the right to remove at the expense and risk of the person responsible, driver or owner any vehicles, trailers, containers, skips or full/empty packaging left in no-stopping zones or otherwise illegally parked.

In addition, the provisions and access regulations set out in the Important Notes section of the Order Forms for Exhibitor Services relevant to the given event apply, as do those stipulated in the Exhibitors' Traffic Information that is distributed in good time prior to the event.

Particularly for the purposes of ensuring the smooth flow of traffic during the stand construction and dismantling periods as well as during the actual event, MMG is entitled to implement further-reaching traffic control measures that require the compliance of all those present at the trade fair centre. MMG reserves the right to regulate above all the access of the exhibitors and/or their stand construction companies and other contractors to the individual stands.

In connection with fairs and exhibitions, it is advisable to make use of the full period allowed for stand construction as experience has shown the trade fair centre to be excessively full on the last two stand construction days. No claims may be asserted against MMG if delays are incurred by exhibitors, their stand construction companies or other contractors due to the trade fair centre being overcrowded or to measures implemented by MMG to control traffic within the trade fair centre and/or access to the stands.

2.2. Emergency routes

2.2.1. Fire service movement zones, fire hydrants

Access to fire service movement zones, emergency rescue routes and safety zones designated accordingly may not be restricted at any time. Particularly during the stand construction and dismantling periods, access may not be restricted by parked vehicles, stored exhibition goods, construction or packaging materials, etc. blocking the way.

Vehicles and objects parked on or blocking fire service movement zones, emergency rescue routes or safety zones will be removed at the expense of the person responsible.

Hydrants in the halls and outdoor exhibition area may neither be obstructed nor made unrecognisable or inaccessible.

2.2.2. Emergency exits, escape hatches, hall aisles

All hall exits and aisles designated as such in the hall plans are to be kept clear over their full width. They serve as escape routes in emergencies and may therefore never be obstructed by objects left in the way or protruding. The doors along emergency exit routes must be easy to open from the inside and to their full extent. Exit doors, escape hatches and any signs indicating their position may not be obstructed, built over, blocked, covered or made unrecognisable in any other way. Information stands, tables and other furnishings may only be located near entrances, exits and access to stairways if sufficient room is left between them.

All hall aisles designated as such may not be obstructed or built over.

In the event of hall exits being located within a stand, the areas designated as such may not be obstructed.

2.3. Safety equipment

Sprinkler systems, fire alarms, fire extinguishing equipment, smoke detectors, closure devices for the hall entrances and other safety facilities, the signs indicating their position and the green emergency exit signs must be accessible and visible at all times; they may not be obstructed or blocked.

2.4. Stand numbering

All stands are equipped with number signs by the given organiser which may only be removed with the prior consent of the organiser.

2.5. Security

MMG and/or the security company commissioned by it to supervise the trade fair centre is/are responsible for security at the entrances and in the halls. MMG offers no guarantee that the trade fair centre will be secured and monitored continuously. MMG is authorised to implement any measures it deems necessary for securing and monitoring purposes.

The security of stands, the items on display and any other objects located on the stands is not the responsibility of MMG. Exhibitors are responsible for the security of their own stands and should organise it themselves as they see fit. However, only security guards from the company commissioned by MMG to secure the trade fair centre may be employed.

Exhibitors' attention is drawn explicitly to the fact that stand exhibits and other items on the stand are particularly at risk during the stand construction and dismantling periods. Items of value and/or those that can be easily removed should always be locked away at night.

2.6. Evacuation

MMG is entitled to order rooms, buildings halls and/or outdoor exhibition areas halls to be closed and evacuated for safety and above all regulatory compliance reasons.

3. Technical data and features of the halls and the outdoor exhibition area

3.1. Hall data

The halls offer the following gross exhibition areas:

A1 – A6, B1 – B6	approx. 11,000 m ²
C1 – C4	approx. 10,000 m ²
B0	approx. 3,500 m ²

Hall entrance dimensions

The halls can all be accessed by vehicles (apart from Hall B0) and each has at least 6 entrances measuring 4.50 m x 4.50 m. Hall B0 has one entrance measuring 12.50 m x 4 m.

Heights of halls

None of the halls (apart from Hall B0 in the ICM and the northern front ends of Halls C1-4) have supporting pillars. They are all equipped with sprinkler systems.

The clearance height of the walls running along the length of the halls between the entrances measures approx. 5.70 m (in the case of the B6 high hall approx. 7.80 m).

The clearance height at the sides of the halls measures approx. 10.75 m (in the case of the B6 high hall approx. 15.25 m).

The hall height in central areas measures approx. 11.50 m (in the case of the B6 high hall approx. 16 m). The height clearance of Hall B0 measures 4 m at the sides and 4.20 m in central areas. The height clearance of the northern front ends of Halls C1-4 measures approx. 4.50 m.

Suspension points are available in all halls. The maximum perpendicular load per suspension point is 100 kg (1 kN).

Load-bearing capacity of the hall floors

The hall floors are made of mastic asphalt. The maximum permissible load-bearing capacity of the floors in all halls is 5 t/m² (50 kN/m²). A total truck weight of up to 60 t (600 kN) is allowed. The maximum permissible fork-lift load is 14 t (140 kN). The maximum lump load on a floor area of 30 cm x 30 cm is 10 t (100 kN) – this does not apply however to utility duct covers.

Hall B0 has parquet flooring. The maximum permissible load-bearing capacity of the floor is 2 t/m² (20 kN/m²). The maximum lump load is 8 t/m² (80 kN/m²) – this does not apply however to utility duct covers.

3.1.1. Normal lighting, type of current, voltage

The normal lighting in the halls is provided by MMG. The normal artificial lighting in the halls during the actual fair is approx. 50 lux/m² measured 1 m above the floor.

Each hall is lit by daylight and artificial light.

Type of current and voltage available at the trade fair centre:

Mains type: TN-S System

230 volt (±10%)/50 Hz alternating current

3 x 400 volt (±10%)/50 Hz three-phase current

3.1.2. Supply of compressed air, electricity, gas and water

Compressed air, electricity, gas and water are supplied to the stands in the halls via the utility ducts located approx. every 5 m in the hall floor (approx. 4.5 m in the case of Halls C1-C4 and approx. 4.85 m in the case of Hall B0); no gas supply is available in Hall B0. The utility duct covers measure approx. 43 cm x 43 cm (the utility duct is approx. 35 cm wide).

Hall C1 is equipped with two further utility ducts running the length of the hall

Electricity supply 200 W/m²

Connection for water DN 25/min. 3.5 bar

Waste water DN 100

Connection for sprinklers 50 DN, available in every second duct

Connection for compressed air DN 50/min. 10 bar, available in every second duct

Connection for gas DN 25/20 mbar

3.1.3. Communications equipment

Stand telephone, fax, data and antenna connections are available via connection points located in the hall floor. RJ 45 is the connection system used or, in the case of fibre optic connections, E 2000.

3.1.4. Sprinkler systems

The halls are equipped with sprinkler systems. Every second utility duct is fitted with a main sprinkler connection via which the stands can be supplied.

(See Item 4.4.2 or 4.9.2 for information on sprinkler systems for covered stands)

3.1.5. Heating, ventilation

MMG provides for the general heating and ventilation of the halls.

All the halls are partially air-conditioned.

3.1.6. Faults

Any fault occurring in supply (in respect of e.g. electricity, water, compressed air, heating, ventilation, communications, etc.) must be reported immediately to the Technical Exhibition Services Division.

MMG is not liable for any damage occurring as a result of faults due to fluctuations in supply or a force majeure or if the supply is interrupted on the instructions of the Municipal Fire Service or of the suppliers of the service concerned (electricity, water, energy).

3.2. Outdoor exhibition area

Outdoor exhibition areas F5-F8 approx. 103,000 m².

Special outdoor exhibition areas F9-13 approx. 150,000 m².

Surface of exhibition area: seeded gravel bed (grassed-over gravel-humus mixture, stony in parts)

Road surface: asphalt

Width of access roads: 8 m or 12 m

Permissible load-bearing capacity: 50 t/m² (500 kN/m²) except for railway track area for which a lower load-bearing capacity applies. Details available from MMG's Technical Exhibition Services Division.

Stand electricity and water/waste water connections are available via connection points located in the ground.

Connection for water: DN 40/min. 3.5 bar

Waste water: max. DN 100

Electricity supply: 50 W/m²

Stand telephone, fax, data and antenna connections in the outdoor exhibition area are available via connection points located in the ground. RJ 45 is the connection system used or, in the case of fibre optic connections, E 2000.

3.3. Clearance heights

The clearance height of the entrances to the loading areas is approx. 5 m.

The East Connecting Tunnel has a clearance height of 4.30 m and the West Connecting Tunnel one of 4.50 m.

4. General stand construction regulations

4.1. Stand construction safety

Exhibition stands including equipment and exhibits as well as advertising hoardings must be securely erected such that they do not constitute a risk to public safety and order, above all in respect of human life and health.

The given exhibitor is responsible for the structural safety of the stand concerned and may be required to provide proof of same.

Messe München GmbH reserves the right to inspect stand structures, exhibits, advertising hoardings, etc. or have them inspected by an independent expert in terms of their stability and traffic safety to the extent that justified doubt exists as to their guaranteed stability and traffic safety even if the items concerned have received prior approval.

Stand structures in the halls with a height in excess of 4.00 m must have sufficient stability to be able to

withstand dynamic pressure of 0.125 kN/m² ("hall draught").

Stand structures in the outdoor exhibition area should be appropriately designed to withstand wind loads and, if applicable, snow loads. (See Item 4.6 for load assumptions for platforms and Item 4.9.3 for load assumptions for two-storey stands).

Stand structures cannot be supported by securing them to the hall roof. (See Item 4.7.5.2 for details of attaching objects to fixing points).

4.2. Stand construction approval

Insofar as the Technical Guidelines have been adhered to with regard to the design and construction of the stand, there is no need to submit drawings for the approval of single-storey stands, providing their floor space does not exceed 100 m² and they are not higher than 3.00 m.

If requested to do so, MMG is however prepared to check stand construction drawings (to be submitted in duplicate).

All other types of stand (above all those with floor space in excess of 100 m² or higher than 3.00 m, multi-storey stands (see Item 4.9), mobile stands) require approval, as do stands with bridges, stairs, cantilever roofs, galleries, sloping walls, etc.) and structures for outdoor exhibition areas (see Item 4.8.).

To the extent that more than 200 seats need to be arranged, the entire number of seats must be shown in a separate plan (seating plan scale 1:200) in triplicate, as should the total number of persons using the individual escape routes.

A copy of the plan approved for the given usage should be displayed in a clearly visible location near the main entrance to the assembly room concerned.

4.2.1. Stand structures subject to inspection and approval

All organisers, exhibitors, tenants, service partners or other service providers are obliged to check whether the temporary structures they are planning to build either in the halls or in the outdoor exhibition area require approval. If in doubt, you should contact MMG's Technical Exhibition Services Division.

Stand space in the halls

To-scale drawings for single-storey stands with floor space in excess of 100 m² or higher than 3.00 m must be submitted for approval to MMG's Technical Exhibition Services Division in duplicate (ground plan and elevation sketches to a scale of at least 1:100) by the deadline specified in the Order Forms for Exhibitor Services at the latest. To the extent that approval is granted, one copy is then returned to the exhibitor/stand-builder with MMG's stamp of approval. This means that the stand construction concerned has been approved.

Approval for two-storey stands must be applied for by submitting the "Application for Special Stand Designs" form to MMG's Technical Exhibition Services Division by the deadline specified in the Order Forms for Exhibitor Services at the latest. The form must be completed in German and submitted with the required number of copies to MMG together with the required documents that must also be in German. To the extent that approval is granted, the stand design is not deemed to have been approved before confirmation of approval has been issued to the exhibitor/stand-builder and the structural documentation returned to the exhibitor/stand-builder.

Stand space in the outdoor exhibition area

Single-storey stands with floor space in excess of 50 m² or higher than 5.00 m must be submitted for approval to MMG's Technical Exhibition Services Division in duplicate (ground plan and elevation sketches to a scale of at least 1:100) by the deadline specified in the Order Forms for Exhibitor Services at the latest. To the extent that approval is granted, one copy is then returned to the exhibitor/stand-builder with MMG's stamp of approval. This means that the stand construction concerned has been approved.

Approval for multi-storey stands, special constructions, rooms with seating for more than 30 persons, darkened rooms for slide/film shows must be applied for by submitting the "Application for Special Stand Designs" form to MMG's Technical Exhibition Services Division by the deadline specified in the Order Forms for Exhibitor Services at the latest. The form must be completed in German and submitted with the required number of copies to MMG together with the required documents that must also be in German.

To the extent that approval is granted, the stand design is not deemed to have been approved before confirmation of approval has been issued to the exhibitor/stand-builder and the structural documentation returned to the exhibitor/stand-builder.

The costs of the design approval process (see rear of "Application for Special Stand Designs" form) will be charged to the exhibitor.

4.2.2. Vehicles and containers

The use of vehicles and containers as exhibits in the halls requires approval (see also Items 4.4.1.2. and 4.4.2).

Motorised/mobile exhibition stands (show trucks, buses, trailers, etc.) must be equipped with a sprinkler system if they constitute a single, uninterrupted area measuring more than 30m². Such areas as have cavities also constitute single, uninterrupted areas unless the cavities concerned are large enough for fire safety purposes.

4.2.3. Removal of non-compliant stand structures

Stand structures that have not been approved or do not comply with the Technical Guidelines or statutory regulations, must be altered as necessary or removed, at MMG's request.

If this is not done within the set period, MMG is entitled to carry out the alterations itself or, if necessary, remove the stand structures concerned at the expense of the exhibitor.

4.2.4. Extent of liability

To the extent that the exhibitor or the stand-builder he appoints does not comply with the above stand construction regulations, he is liable for any damage resulting from violation of these regulations.

Moreover, the exhibitor or the stand-builder he appoints agrees to exempt MMG from all claims by third parties that may be asserted due to violation of the above stand construction regulations.

4.3. Construction heights

The standard height for stand structures and advertising hoardings is 3.00 m.

The maximum construction height varies from event to event and is specified either in the Special Terms of Participation or Important Notes sections of the relevant Order Forms for Exhibitor Services. Contact the team responsible for technical organisation if in doubt.

The maximum height for stand structures set by MMG may only be exceeded with MMG's prior written approval.

Exhibits are not normally subject to this limitation, but should be reported to the Technical Exhibition Services Division prior to the event.

4.4. Fire prevention

4.4.1. Fire prevention and safety regulations

4.4.1.1. Stand construction and decorative materials

Readily flammable materials and such that drip or give off toxic gases when burning may not be used. The use of plastics (e.g. polystyrene, rigid polyurethane foam, Styropor, etc.) is only allowed with the prior written consent of the Technical Exhibition Services Division (informal application with details of type of material, quantity and planned installation environment required). Verification of the fire resistance of the material concerned must be provided.

Decorative materials must be at least fire-resistant according to DIN 4102. MMG can only allow the retrospective rendering of decorative materials fire-resistant if this occurs with the approval of the Munich Municipal Fire Department, using a suitable and approved fireproofing agent and given compliance with the relevant processing instructions. MMG's consent can be made subject, above all, to the fire load to be taken account of.

Decorative materials with standard fire resistance may be used in certain areas if their location is sufficiently protected against fire. A test certificate confirming the classification of the materials used may need to be presented. Suspended stand decorations must be at least 2.50 m above the floor.

In individual cases and for safety purposes, special conditions may be imposed for load-bearing structural components (e.g. non-flammability). Stand floor coverings must be laid with sealed joints.

Cable binders may not be used for fastening structurally stressed parts.

Trees and plants may only be used for decorative purposes if they have been freshly cut (i.e. leaves or needles must be green and juicy). If during the event it becomes apparent that the trees and plants are drying out and thus becoming readily flammable, they must be removed. Trees should be free of branches up to about 50 cm above floor level. Turf should always be kept moist (risk of catching fire due to cigarettes, matches, etc.).

Bamboo, reeds, hay, straw, bark mulch, turf or similar materials do not generally comply with the above requirements and are therefore normally prohibited. Any exceptions to this ruling require the prior approval of MMG's Technical Exhibition Services Division.

As a rule, waste materials should be removed and disposed of immediately or collected in appropriate containers and then disposed of correctly.

4.4.1.2. Motor vehicles as exhibits

In the halls, motor vehicles may as a general rule neither be operated nor parked. An exception to this ruling, which must be applied for via the "Application for Preventive Fire Protection Measures" form, can be granted by the Munich Municipal Fire Department. Exhibitors have no entitlement to approval being granted exceptionally. Vehicles with internal combustion engines may only be displayed in the halls with the quantity of fuel required for accessing and leaving the given hall.

Internal combustion engines may not be put into operation for demonstration purposes in the halls or within the exhibitor's own stand. They must be fitted with silencers for any demonstration in the outdoor exhibition area. Fuels may not be stored on the stand. See Item 5.7. for information in connection with gas-driven vehicles and / or vehicles with energy capture via fuel cells. Motorised/mobile exhibition stands (show trucks, buses, trailers, etc.) must be equipped with a sprinkler system if they constitute a single, uninterrupted area measuring more than 30m². Such areas as have cavities also constitute single, uninterrupted areas unless the cavities concerned are large enough for fire safety purposes.

In the case of motorised or mobile exhibition stands (show trucks, buses, semitrailers, trailers ...), a sprinkler system has to be installed for any single covered area exceeding 30 m² (see also Item 4.4.2.).

4.4.1.3. Explosive substances, ammunition

Explosive substances are subject to the provisions of the relevant Explosives Act and may not be displayed at fairs and exhibitions. This also applies to ammunition as defined under the Firearms Act.

4.4.1.4. Pyrotechnic

Pyrotechnical displays are as a general rule prohibited. An exception to this ruling, which must be applied for via the "Application for Preventive Fire Protection Measures" form, can be granted by the relevant safety authorities. Exhibitors have no entitlement to approval being granted exceptionally.

4.4.1.5. Use of balloons, airships and other flying objects

The use of balloons, airships and other flying objects is generally prohibited in the halls and outdoor exhibition area. Exceptions to this ruling require the prior written approval of MMG's Technical Exhibition Services Division. To the extent that approval is granted, the balloons and airships may only be filled with non-flammable, non-toxic gases. The balloons and airships must remain within the confines of the stand and not exceed the maximum height allowed for stands and advertising hoardings.

4.4.1.6. Smoke machines

The use of smoke machines has to be co-ordinated with MMG's Technical Exhibition Services Division.

4.4.1.7. Ash containers, ashtrays

To the extent that smoking is not explicitly prohibited on a stand or parts thereof, a sufficient quantity of ashtrays or ash containers made of non-flammable materials must be provided and arrangements made for their regular emptying into non-flammable, tightly closing containers.

4.4.1.8. Containers for non-recyclable, recyclable and residual waste

No containers for non-recyclable, recyclable and residual waste made of flammable materials are to be used on the stands. Any non-recyclable, recyclable and residual waste produced on the stands should be disposed of regularly, on the evening of each event day at the latest or put into the waste bags intended for this purpose and placed at the edge of the aisle-side of the stand. Readily flammable waste materials such as wood chippings, other bits of wood, sawdust and the like should be kept in sealed containers and disposed of on a daily basis or several times per day if large quantities are produced.

The bags that are distributed for non-recyclable, recyclable and residual waste are collected by the cleaning company on the evening of each event day.

See also Item 6 "Environmental Protection" and the Waste Disposal form in the Order Forms for Exhibitor Services for further information on waste disposal.

4.4.1.9. Spray guns, nitro-cellulose paints

The use of spray guns and/or nitro-cellulose paints is prohibited.

4.4.1.10. Part-off grinding and all work with naked flames

Prior approval must be submitted in writing to and obtained from MMG's Technical Exhibition Services Division for any welding, cutting, soldering, melting and part-off grinding work. The surrounding area must be protected from flying sparks when work is under way. Any joints and cracks should be sealed with appropriate, non-flammable materials. Stands must be equipped with at least one DIN 14406 or EN3 fire-extinguisher suitable and approved for Fire Class C.

Naked flames and activities involving a risk of fire are as a general rule prohibited during the event. An exception to this ruling, which must be applied for via the "Application for Preventive Fire Protection Measures" form, can be granted by the Munich Municipal Fire Department. Exhibitors have no entitlement to approval being granted exceptionally.

4.4.1.11. Empty packaging

The storage of empty packaging of any kind (e.g. packaging and packing materials) in the halls (both on the stands and outside the stands) or in the loading yards is prohibited. Any such items should be removed as soon as they have become empty.

The storage of such items at the trade fair centre can occur via forwarding agents appointed by MMG. This service is not free of charge.

In the event of an exhibitor failing to remove items wrongfully stored despite having been asked to do so, MMG is entitled to have them removed at the expense and risk of the given exhibitor.

4.4.2. Stand coverings

The halls at the New Munich Trade Fair Centre are equipped with an automatic fire-extinguishing system, the effective operation of which may not be hindered by any stand coverings.

Irrespective of their size, stand coverings of any kind are subject to approval and must be registered in writing with Messe München GmbH's Technical Exhibition Services Division (see Application for Preventive Fire Protection Measures form in the Order Forms for Exhibitor Services).

Halls A1-6, BI-6, C1-4:

Stand coverings must generally be of a fire-resistant nature (B1 according to DIN 4102 or DIN EN 13501-1) – the relevant test certificate should be submitted or available for presentation on the stand. A sprinkler system has to be installed for any single covered area exceeding 30 m².

In such cases, one sprinkler unit must be installed for every 12 m² or part thereof of covered space; any rooms/cabins located beneath the stand cover must be encompassed by the sprinkler system.

Given the consent of the Munich Municipal Fire Department, sprinkler systems for stand coverings larger than 30 m² are not necessary if the coverings meet the following requirements:

- Metal modular or grid ceilings:

The covering concerned is a modular or metal-grid ceiling comprising open-mesh grating, perforated sheet metal or similar. At least 70% of the entire ceiling structure including lamp fittings, etc. must be open in accordance with the planning and installation guidelines laid down by the Association of Damage Insurers (VDS). The degree of openness of the given structure must be proven verifiably.

- Textile coverings:

The covering is fire-resistant and its horizontal installation below sprinkler units has been approved by the Association of Damage Insurers (VDS) (wide-mesh netting or fabric with integral thread fusing). VDS' written approval should be submitted to Messe München GmbH's Technical Exhibition Services Division; compliance with the VDS installation instructions is required.

Hall B0:

Only such mesh/netting materials as have been approved by the VDS and are sprinkler-compatible may be used.

Further information on materials approved for stand coverings and the suppliers of such materials can be obtained from the Order Forms for Exhibitor Services (see Notice on Sprinkler-compatible Materials) or use our download service via the Messe München homepage (www.messe-muenchen.de/Services/Ausstellerservices/downloads).

See Item 4.9.6. for information on coverings over the upper floor of two-storey stands.

4.4.3. Glass and acrylic sheet

Only glass suited to the relevant purpose may be used. In the case of structures made of glass, only laminated safety glass may be used. Ask the Technical Exhibition Services Division to send you our Notice on Stand Construction in Exhibition Halls using Glass and Acrylic Sheet" or use our download service via the Messe München homepage (www.messe-muenchen.de/Services/Ausstellerservices/downloads).

Edges of glass panes must be machined or protected in order to preclude any risk of injury. Components made of entirely of glass must be marked appropriately at eye level.

4.4.4. Rooms used by staff

Any separate rooms on the stand used by staff (offices, recreation rooms, meeting rooms) must have an adequately clear view of the nearest escape route (visual link).

Stand structures in the outdoor exhibition area with rooms used by staff that have no visual link to the rest of the stand or such that can only be accessed via another separate room (trapped rooms), must be equipped with an emergency exit hatch (window opening at least 60 x 100 cm, breast wall height max. 110 cm, without protective grating and openable from the inside without difficulty), leading directly out into the open air.

Alternatively, "trapped" rooms may only be separated from the main stand unit by glass walls so that the separate nature of the room is retained visually.

4.5. Exits, escape routes, doors

4.5.1. Exits, escape routes

Stands with a floor area exceeding 100 m², an escape route longer than 10 m or a stand designed such that the exit/escape route are not visible from all points on the stand must have at least two separate exits/escape routes to be located as far apart from each other as possible.

The stand should be designed in such a way as to avoid creating any poorly accessible rooms, corners or alcoves. All separate rooms used by staff (offices, recreation rooms, meeting rooms ...) within the given stand area must offer an adequately clear view of the nearest escape route and the path leading to same.

Rooms that are only accessible via another separate room (so-called trapped rooms) are prohibited.

If within a given stand the maximum length of an escape route to a hall aisle exceeds 10 m, the stand must be equipped with a second exit and/or an aisle at least 2.0 m wide leading to a hall aisle.

Escape routes should be marked as such in accordance with DIN 4844.

The clearance width of escape routes and exits must measure at least 1.00 m.

4.5.2. Doors

The use on escape routes of swing doors, revolving doors, coded doors, sliding doors, lift doors or any other form of access barrier is prohibited.

4.6. Platforms, ladders, ascents, bridges

All general walkways immediately adjacent to areas that are more than 0.20 m lower must be protected by a balustrade of at least 1.00 m in height and equipped with at least top, middle and lower cross-braces.

Load-bearing capacity verification for platforms must be available for presentation. The floor must be able to withstand loads of at least 2.0 kN/m² as per DIN 1055 Part 3 Table 1 depending on the specific use made of it.

The maximum permitted height for single-step, open-access platforms is 0.20 m.
Ladders, ascents and bridges must comply with the relevant accident prevention regulations.

4.7. Stand design

4.7.1. Appearance

The design and equipping of a stand as well as any necessary construction work are the responsibility of the given exhibitor. In this connection, he must however take into account the character and appearance of the fair and/or exhibition concerned. To this end, MMG is entitled to demand changes to be made to the stand design. Moreover, MMG reserves the right to prescribe the framework structure required for a given event in its Special Terms of Participation. Products manufactured by way of the exploitative employment of child labour as defined under the provisions set out in ILO Convention 182 may not be used for the construction or equipping of the stand.

Stand walls bordering on visitor aisles must include glass panels, alcoves, displays, etc. to give them a more appealing look.

The exhibitor's name and location must be indicated on the stand in a clearly visible manner.

The stand walls facing neighbouring stands should be kept neutral, white and clean above a height of 2.50 m to prevent any conflict of design with the neighbouring stand.

4.7.2. Checking stand size

The stand area is measured out on the hall floor by MMG and marked at the corners.

After stand space has been allocated, each exhibitor is obliged to check the location and size of any installations, in particular fire alarms, utility ducts, ventilation systems, etc. and, where necessary, instruct the stand-builder accordingly.

The boundaries of the stand area must be observed.

(See also Item 4.7.4. Hall floors)

4.7.3. Structural modifications to halls

Hall components and technical facilities may not be damaged, soiled or in any way changed (e.g. by drilling of holes, use of nails or screws, etc.). Nor may paint, wallpaper or adhesives be applied to them.

The hall components and technical facilities may not be subjected to any strain from stand constructions or exhibits for which they are not intended. Hall columns/supports within the stand area may, however, be integrated into the stand design providing they are not damaged and the maximum stand height is not exceeded.

Joints on hall walls, ceilings and floors may under no circumstances be damaged by caulking or foundation work or the like. No bolts or anchorages for stand structures may be fitted.

Securing exhibits via floor anchorages is only possible in exceptional, justified cases with the written consent of the Technical Exhibition Services Division. To this end, the floor anchorages required should be registered in writing with the Technical Exhibition Services Division two weeks prior to the commencement of the stand set-up period at the latest. To-scale plans with details of location, anchorage type, drill hole diameters and number of anchorages should be attached to the application. The number of anchorages should be kept to an absolute minimum. The exhibitor has no entitlement to the fitting and use of floor anchorages. Messe München GmbH reserves the right to prescribe the materials to be used for anchorages. In cases where non-approved materials are used and/or floor anchorages are fitted without MMG's consent, flat-rate repair charges of EUR 50 per drill hole plus VAT will be raised.

4.7.4. Hall floors

Carpets and other floor coverings must be laid with due regard to safety and may not protrude beyond the stand area.

Only adhesive tape that leaves no traces when removed may be used to fix such coverings. No other adhesive materials or paint may be used on the hall floors.

Any materials used must be removed without leaving any traces. Substances such as oil, grease, paint and the like must be removed from the floor immediately.

There are utility ducts running across the width of the halls at intervals of approx. 5 m (C halls approx. 4.5 m, B0 approx. 4.85 m). Hall C1 is equipped with two utility ducts running the length of the hall in addition to those running across its width.

Usage of the utility ducts is reserved exclusively for MMG's relevant service partners.

4.7.5. Suspending items from the hall ceiling

4.7.5.1. Provision of fixing points

The provision of supporting structures and fixing points for suspending items from the hall ceiling is the exclusive responsibility of MMG. Any changes to supporting structures may only be carried out by MMG. To this end, MMG will appoint specialist subcontractors to do the work required.

To the extent structurally feasible, the exhibitor will be provided with a fixing point at the desired position above the stand area. Plans should be attached to the order (service form in Order Forms for Exhibitor Services), clearly showing the desired positioning of the fixing points and height details.

Items to be suspended may only be located above and within the stand confines. Construction and advertising hoarding heights are to be taken into account. MMG will review the feasibility of the desired fixing points on the basis of the documents submitted. Each suspension point of the hall ceiling structure can withstand a maximum perpendicular load of 100 kg. The maximum area load is 5 kg/m². Suspension points for loads heavier than this only on request.

4.7.5.2. Attaching items to the fixing points

Items to be suspended from the fixing points ordered (lighting supports, spotlights, etc.) may only be fitted by the given exhibitor's own specialists or by specialist companies authorised to do so in compliance with relevant German and/or EU regulations and accepted technical practice.

With regard to the attachment and securing of items to be suspended, relevant safety regulations and in particular the German ordinances BGV A 1 (general requirements), BGV C 1 (venues and production sites for stage performances), BGV D 8 (hoisting, lifting and winching equipment) and, if applicable, VstättV (safety code governing places of assembly) must be observed. Cable connections for load-bearing purposes must comply with DIN 56-921-11; cable clamps may not be used.

Further information on approved fastening materials can be found in the Order Forms for Exhibitor Services (see Notice on Suspension Units and Means of Attachment) or use our download service via the Messe München homepage (www.messe-muenchen.de/Services/Ausstellerservices/downloads).

For safety reasons, the following rules also require compliance. The following are prohibited:

- Suspending of stand components or exhibits
- Securing of stand components or exhibits (stand components and/or exhibits must stand securely in their own right)
- Suspending of items with a rigid and/or frictional connection to the hall floor.

Exceptions to these rulings require MMG's prior written authorisation.

The fitting and securing of items to be suspended as well as the provision and fixing of complete lighting systems, etc. can also be ordered from MMG.

4.7.6. Stand perimeter walls

Partition walls can be ordered via the Order Forms for Exhibitor Services.

The partition walls and supports may be neither modified nor processed by exhibitors. The exhibitor is liable for any damage to persons or property arising from non-compliance with this ruling.

4.7.7. Advertising materials/Presentations

Stand and exhibit inscriptions, logos and trademarks may not exceed the specified height. In the case of advertising materials bordering directly on a neighbouring stand, a distance of 2 m should be kept free to the perimeter of the stand concerned.

All types of performances and presentations as well as all forms of visual, moving or acoustic advertising require MMG's prior written approval. They may not disturb any other event participants, cause crowding that blocks the aisles nor drown out the public address system in the halls. The noise level at the stand perimeter may not exceed 70 dB(A).

Despite having given its prior approval, MMG is entitled to restrict or prohibit such performances as cause noise, visual disturbance, dirt, dust, vibrations or other emissions or, for other reasons, constitute a significant disturbance to the event or its participants.

Flashing, rotating or fast-moving advertising materials are prohibited, as is moving advertising on the stand perimeter.

The distribution of printed matter and the use of advertising materials is not permitted outside the boundaries of the exhibitor's own stand.

MMG reserves the right, however, to enforce further restrictions in specific cases. MMG is entitled to access stands to check that the above regulations are being observed.

MMG is also entitled at the risk and expense of the given exhibitor to remove, cover over or otherwise prevent advertising violating the above regulations.

If a fair, exhibition or other event is not organised by MMG but by another organiser, the organiser concerned is entitled to exercise MMG's rights described above.

4.8. Outdoor exhibition area

4.8.1. Checking stand size

The stand area is measured out on the ground of the outdoor exhibition area by MMG and marked at the corners.

After stand space has been allocated, each exhibitor is obliged to check the location and size of any installations, in particular supply lines, foundations, tracks, distribution boxes, etc. and, where necessary, instruct the stand-builder accordingly.

The boundaries of the stand area must be observed. The exhibitor must ensure that no items located in the area of the stand protrude beyond its confines. Exceptions to this ruling can be approved for revolving tower cranes by MMG's Technical Exhibition Services Division for safety reasons; it can make its exceptional approval dependent on all the exhibitors affected agreeing to the given revolving tower crane protruding on to their stands. In the event of an exhibitor refusing to agree to this, his refusal has no effect if safety concerns require the given revolving tower crane to protrude on to his stand.

4.8.2. Stand construction

All structures covering ground space of more than 50 m² or higher than 5.00 m and special constructions (e.g. advertising towers) to be erected in the outdoor exhibition area require the prior approval of MMG's Technical Exhibition Services Division and must be registered for approval with Messe München GmbH via the appropriate service form in the Order Forms for Exhibitor Services, which must be submitted together with the supporting documents mentioned therein at least 6 weeks prior to the commencement of the trade fair.

Precise ground plans must be submitted for written approval to MMG's Technical Exhibition Services Division for any anchorage required for tents, guy ropes and flagpoles as well as for any other earthworks in the outdoor exhibition area. All earthworks on the exhibition grounds are prohibited if no written approval has been granted. MMG's Technical Exhibition Services Division should be notified prior to the commencement of any earthworks on the exhibition grounds.

Compliance with all statutory requirements under public law is necessary in connection with the erection of facilities, particularly those of a structural nature. Moreover, the relevant safety regulations stipulated by the Technical Inspectorate must also be observed.

Due care must be given to existing supply lines, foundations, distribution boxes, etc. when performing any stand construction work. To the extent that they are located within the area of individual stands, they must be easily accessible at all times. No work can be carried out on railway tracks that have been laid in the outdoor exhibition area.

Stand structures may not be built closer than 0.5 m to the perimeter of neighbouring stands unless the Technical Exhibition Services Division has exceptionally issued written approval to this effect.

A minimum distance of 10 m is required between the individual exhibition structures, tents and buildings. This minimum amount of space must be kept clear.

Roads may not be obstructed by any structures or equipment at any time, not even during the set-up and dismantling periods. Their full width should be kept clear for fire department access purposes.

Each exhibition stand must be equipped with an appropriate number of fire extinguishers to DIN EN 3 or DIN 14406.

All necessary exits must be marked as such with signs in accordance with the Accident Prevention Regulation BGV A8.

4.8.3. Dismantling

All exhibition areas have to be returned to MMG in their original state by the specified dismantling deadline.

To this end, the space to be returned should be notified to the Technical Exhibition Services Department for stand inspection purposes.

The sites in the outdoor exhibition area must be levelled and the areas loosened up by earthworks compacted with a machine. Asphalted and landscaped areas will be reinstated exclusively by MMG at the expense of the given exhibitor.

Due care must be given to existing supply lines, foundations, distribution boxes, etc. when performing any dismantling work. No work can be carried out on railway tracks that have been laid in the outdoor exhibition area.

All installations such as foundations, props that have been rammed into the earth, supply lines, etc. must be removed by the specified dismantling deadline unless an arrangement to the contrary has been agreed with MMG and these installations are located at least 0.3 m below ground level. In such cases, plans detailing the exact location and size of the installations concerned must be submitted to MMG's Technical Exhibition Services Division without delay.

In the event of the due repair work not having been performed by the specified date, MMG is entitled to carry it out itself or have it carried out by a third party at the expense of the exhibitor concerned.

4.8.4. Other regulations

Exhibitors whose stands border on the edge of the trade fair centre grounds are not allowed to use the fencing for their own purposes. Use of the outside of the fencing for advertising purposes is prohibited. This also applies during the stand construction and dismantling periods.

Stand components, signs and flags must be fitted in such a way as to avoid unreasonably disturbing others, particularly other exhibitors and visitors. Misleading company signs must be removed if the exhibition management considers this necessary.

Exhibits higher than 30 m must be registered for approval with MMG's Technical Exhibition Services Division via the appropriate form in the Order Forms for Exhibitor Services 12 weeks prior to the commencement of the trade fair at the latest.

Revolving tower cranes, etc. must be appropriately secured in line with the relevant regulations. Suspending advertising hoardings or other loads (apart from flags) from cranes is prohibited for reasons of safety.

The use of liquid gas for heating purposes is prohibited. Suitable oil-fired heating can be used if approved by Munich Municipal Fire Department.

In other respects, the general regulations and those applying to the hall area are also valid for the outdoor exhibition area insofar as they can be meaningfully applied to them.

4.9. Two-storey stand construction

4.9.1. Application for planning permission

Two-storey exhibition stands can only be built in Halls A1-A6, B1-B6 and C1-C4 providing prior approval has been granted by Munich Municipal Fire Department, MMG's exhibition management responsible for the given project and the Technical Exhibition Services Division. Approval is also dependent on the required position in the hall and the floor space needed. An essential factor in the approval process is what effect the given two-storey stand will have on the design and transparency of the hall as well as on neighbouring stands.

Hall B0 (ICM) cannot accommodate two-storey structures.

4.9.2. Height of stand structures, conditions applying to covered stand areas, height of internal stand areas, minimum distances

The maximum stand height is set separately for each event and stipulated in the Terms of Participation and/or the Important Notes section of the Order Forms for Exhibitor Services.

The clearance height in internal areas of two-storey stands must be at least 2.40 m on both the lower and upper floors.

A sprinkler system needs to be installed in accordance with VDS regulations if the covered stand area exceeds 30 m², with one sprinkler unit to be installed for every 12 m² of covered space or part thereof. All rooms are to be encompassed by the sprinkler system.

The minimum distance for stairways, open cabins, terraces / catering areas to the edge of aisles is 1.00 m and to the perimeter of a neighbouring stand 3.00 m. If it is impossible to maintain the minimum distance to the neighbouring stand, some form of screening of at least 2.00 m in height is to be erected in the area concerned for privacy purposes.

4.9.3. Working loads/Load acceptance

The working load of the floor of the upper storey of a two-storey stand within an exhibition hall must comply with DIN 1055 Part 3, Table 1 as follows: If the storey is used for meetings and customer service purposes, i.e. it is furnished with tables and chairs in a free arrangement or in the form of meeting cabins, it must withstand a working load of 3.5 kN/m². Unlimited use as an exhibition or sales area, as an assembly room with or without rows of chairs, the floor of the upper storey must be able to withstand a working load of 5.0 kN/m². The respective use made of it must be marked clearly in the plans submitted for approval purposes.

Stairways must always be able to withstand working loads of 5.0 kN/m². Balustrades and banisters must be designed to withstand loads of 1 kN/m at handrail height. Proof must be provided that the pressure applied by the supports does not exceed the maximum permissible pressure the hall floor can withstand (see Item 3.1 Hall data).

4.9.4. Escape routes/Stairways

On two-storey stands with an area covered by the upper storey of up to 100 m², only one stairway is required. The stairway must emerge beyond the covered area of the stand. The length of any escape route from the upper floor to a main hall aisle on the ground floor may not exceed 25 m. The stairway used for this purpose may not be of an open- or solid-newel type.

Stairways require a minimum width clearance of 1 m.

On stands with an upper storey area in excess of 100 m², at least two stairways are required to be located at opposite ends of the stand. One of the two stairways must emerge beyond the covered area of the stand.

In the case of multi-storey stand structures in the outdoor exhibition area, each main unit used on each storey must be equipped with two separate escape routes. An exit out into the open air may be no further than 35 m from any point on the stand.

Each storey must be equipped with at least one exit leading out into the open air designed such that it can be used without risk as an escape route (with its own stairway or outside staircase).

All stairways should be designed to comply with DIN 18065. No items may be stored or shelving installed in areas on or under stairways without risers.

Handrails must offer a secure grip and be of a continuous nature.

4.9.5. Building materials

On two-storey exhibition stands, load-bearing components, ground floor ceilings and upper storey floors must be made of at least fire-retardant (according to DIN 4102 or EN DIN 13501-1) building materials.

Floor coverings, wall panelling and ceilings can be made of such building materials as are allowed and normally used for stand-building purposes. Anchoring materials to the floors in the halls is not permitted

Two-storey stands are to be designed in such a way that they can be constructed, equipped and dismantled within the stand construction and dismantling periods set for the given event.

General statutory building regulations require compliance. We also reserve the right to impose further requirements in respect of safety and fire prevention until such time as acceptance of the given stand has been granted.

4.9.6. Upper storey

All rooms used by staff (offices, recreation rooms, meeting rooms, etc.) must offer an adequately clear view of the nearest escape route and the path leading to same.

The bottom of any balustrades must be fitted with skirting of at least 0.05 m in height as well as knee-high skirting, grid or solid panelling or similar to prevent persons from falling. To prevent objects (e.g. glasses) from being placed on balustrades where they can easily fall off, the handrails or the tops of the balustrades must be appropriately shaped e.g. circular or semi-circular.

Balustrades should be designed and constructed in compliance with Items 4.6. and 4.9.3.

No areas located on the upper floor may have a closed ceiling or canopy. Metal grids with openings measuring 1 cm x 1 cm are permitted. Inclusive of lighting units, the open area of the upper-storey ceiling must comprise at least 80% of the floor area.

4.10. Dismantling stands

By the end of the dismantling period set for a given event (see Special Terms of Participation and the Important Notes section of the Order Forms for Exhibitor Services), the exhibitor is obliged to completely clear the stand of all stand-building materials, exhibits and any other items and restore the stand area to its original state.

After the set dismantling period has elapsed, MMG is entitled but not obliged to have any items left on the stand removed and stored by an authorised forwarding agent at the expense and risk of the exhibitor and charge an appropriate handling fee for doing so. MMG is entitled to dispose at the exhibitor's expense of any exhibition-related material and all other items left on the stand after the set dismantling period has elapsed.

5. Operational safety, technical safety regulations, other technical requirements and supply systems

5.1. General regulations

Stand construction and dismantling work may only be carried out in accordance with the relevant statutory labour and industrial regulations valid at the given time.

5.1.1. Damage

Any damage caused by exhibitors or their agents within the trade fair centre, its buildings or facilities will be remedied by MMG at the expense of the exhibitor concerned at the end of the given event.

5.2. Use of machinery

The use of stud guns is prohibited.

The use of woodworking machines without chip exhausters is not permitted.

Only such cranes, fork-lift trucks and work platforms as are supplied by MMG's authorised service partners may be used. In special cases, the approval of MMG's Technical Exhibition Services Division must be sought.

5.3. Electrical installation

5.3.1. Connections

Electrical installations from the utility ducts to the stands may only be fitted by MMG and/or contractors appointed by it. The electrical installations to be exclusively fitted by MMG and/or contractors appointed by it include the main electrical connection and cabling, master fuse and, if applicable, the master switch/electricity meter. MMG's Technical Exhibition Services Division reserves the right to restrict the electrical connection to one basic connection per stand for reasons of safety. The use of generators on the stands is prohibited unless prior written approval has been obtained from MMG's Technical Exhibition Services Division.

Exhibitors are expressly forbidden to obtain electricity from neighbouring stands. Furthermore, exhibitors are not entitled to supply any third parties at the trade fair centre apart from his co-exhibitors with electricity. This applies particularly to neighbouring stands.

Furthermore, exhibitors are not entitled to supply any third parties at the trade fair centre apart from his co-exhibitors with such electricity as is supplied to him by MMG. This applies particularly to neighbouring stands.

A ground plan indicating the required position of the connections should be attached to the orders (form included in the Order Forms for Exhibitor Services).

The exhibitor is responsible for ensuring that the electrical installation is able to provide all items on the stand requiring electricity with sufficient power such that they can operate simultaneously, whereby the interconnecting of several main connections that are individually inadequate for the simultaneous operation of the items concerned is not allowed. Should MMG determine that the exhibitor is not complying with this requirement, MMG is entitled to upgrade the given electrical installation at the expense of the exhibitor without being asked to do so by same such that the above requirement is met.

Power supply lines will be laid in utility ducts wherever possible, but may under certain circumstances have to be run above ground if the location of the connection point makes this necessary.

MMG is entitled to run power lines and connections serving neighbouring stands across the exhibitor's stand unless MMG can provide the electrical connection to the neighbouring stands at the same or lower cost without laying supply lines and connections across the exhibitor's stand.

Should the exhibitor wish power lines to be laid across public aisles or third-party stands, MMG's prior approval must be sought. Any power lines laid in this respect must give due consideration to the safety of the public and exhibitors alike and are payable by the exhibitor concerned.

To the extent that power consumption is not payable on a flat-rate basis, it will be determined via the meter fitted and invoiced at the per-kWh prices shown in the Order Forms for Exhibitor Services.

For safety reasons, Messe München reserves the right to switch off the exhibitor's power supply after the event has finished.

5.3.2. Stand installation

Electrical installation work within the confines of the stand can be carried out by the exhibitor's own electrical fitters or approved electrical contractors in accordance with VDE (Association of German Electricians) regulations, EU requirements and accepted technical practice.

Electrical installation work within the confines of the stand can also be carried out by MMG and/or contractors appointed by it providing an appropriate order is submitted.

Any connections, machines or equipment that have not been authorised, do not comply with the relevant regulations or use more power than indicated in the application are prohibited. They can be removed from the stand and put in storage by MMG at the expense and risk of the exhibitor.

5.3.3. Installation and operating regulations

All electrical installations must be fitted in compliance with the latest safety regulations issued by the VDE (Association of German Electricians), whereby special attention should be given to VDE 0100, 0108 and 0128 and IEC Norm 60364-7-711.

The ratio of high or low-frequency interference transmitted to the mains may not exceed the levels specified in VDE 0160, VDE 0838 (EN 50 006) and EN 61 000-2-4.

Conductive components must be included in the precautions intended to prevent indirect contact (stand earthing).

The regulations set out in the "Electrical Installation on Exhibition Stands" section of the Order Forms for Exhibitor Services require full compliance.

All exhibition stand electrical installations will be inspected by an expert for compliance with the regula-

tions effective at the given time for the Munich Trade Fair Centre. The inspection will be organised by MMG.

5.3.4. Safety precautions

As a special safety precaution, all heat-generating and heat-emitting electrical equipment (hot-plates, spotlights, transformers, etc.) must be installed on a non-flammable, asbestos-free base and monitored adequately during operation.

Depending on the amount of heat generated and/or emitted, adequate distance must be maintained between the equipment concerned and any flammable materials in the vicinity.

Lamps may not be attached to flammable decorations or the like.

5.3.5. Safety lighting

Stands whose specific design or structure render the given building's general safety lighting ineffective must be equipped with their own, additional safety lighting in accordance with VDE 0108. It must be installed in such a manner that the general escape routes can be accessed safely.

5.4. Installation of water/waste water facilities

5.4.1. Connections

Water/waste water facilities from the utility ducts to the stands may only be installed by MMG and/or a contractor appointed by it. The water/waste water installations encompass the main water connection (supply and drainage) with supply and drain pipes as well as a water meter if applicable. The exhibitor is not allowed to obtain water for his stand from such persons as have not been authorised to supply water by MMG. Exhibitors are expressly forbidden to obtain water from neighbouring stands. Furthermore, exhibitors are not entitled to supply any third parties at the trade fair centre apart from his co-exhibitors with such water as is supplied to him by MMG. This applies particularly to neighbouring stands.

Connection plans indicating the required position of the connections should be attached to the orders (form is included in the Order Forms for Exhibitor Services).

The exhibitor is responsible for ensuring that the water/waste water installation is able to cater for all items on the stand requiring water/waste water facilities such that they can all operate simultaneously. Should MMG determine that the water/waste water installation ordered by the exhibitor cannot guarantee the simultaneous operation of all items requiring such facilities, MMG is entitled to upgrade the water/waste water installation at the expense of the exhibitor without being asked to do so by same.

Water/Waste water piping in the halls will be laid in utility ducts wherever possible, but may under certain circumstances have to be run above ground if the location of the connection point makes this necessary. In the outdoor exhibition area, water/waste water facilities can generally be installed; the piping can be laid either along the ground or underneath it. In exceptional circumstances, the required location may be so unfavourable that the connection ordered cannot be installed or that, in doing so, additional costs may be incurred.

MMG is entitled to run water/waste water pipes and connections serving neighbouring stands across the exhibitor's stand unless MMG can provide the water/waste water connection to the neighbouring stands at the same or lower cost without laying pipes and connections across the exhibitor's stand.

Should the exhibitor wish piping to be laid across public aisles or third-party stands, MMG's prior approval must be sought. Any piping laid in this respect must give due consideration to the safety of the public and exhibitors alike and is payable by the exhibitor concerned.

To the extent that water consumption is not payable on a flat-rate basis, it will be determined via the meter fitted and invoiced at the per-m³ prices shown in the Order Forms for Exhibitor Services. As far as connections with a pipe diameter of 1/2" are concerned, the water consumption and basic charge are included in the price of the main water connection.

Waste water polluted with chemicals may not be fed into the sewage system (see also Item 6.2.1).

For safety reasons, Messe München reserves the right to cut off the exhibitors' water supply after the event has finished.

5.4.2. Stand installation

Plumbing facilities (water/waste water facilities) within the confines of the stand can be installed by the exhibitor's own plumbers or approved plumbing contractors in accordance with relevant German/EU requirements and accepted technical practice.

Plumbing work within the confines of the stand can also be carried out by MMG and/or contractors appointed by it providing an appropriate order is submitted.

To the extent that plumbing work including connecting up equipment requiring water supply and waste water drainage facilities e.g. sinks is not to be carried out by MMG and/or contractors appointed by it, the exhibitor has to notify MMG in good time prior to the commencement of the work concerned, but 14 days prior to the stand construction period at the latest, as to which plumbing contractors and/or plumbers will be carrying out the plumbing work. If MMG is not supplied with this information by the set time, MMG will connect up the equipment requiring water/waste water facilities and charge the exhibitor with the costs incurred based on the rates applying to the given event.

Any connections, machines or equipment that have not been authorised, do not comply with the relevant regulations or use more water than indicated in the application are prohibited. They can be removed from the stand and put in storage by MMG at the expense and risk of the exhibitor.

For safety reasons, dishwashers without a fitted drainage pump are not to be connected to the water mains if the drainage gradient is insufficient.

The connection of refrigerators/freezers with open refrigeration cycles should be registered with MMG's Technical Exhibition Services Division. The water consumed will be measured via meters and charged at the rates stipulated in the Order Forms for Exhibitor Services. MMG reserves the right to prohibit the use of refrigerators/freezers with open refrigeration cycles.

5.5. Installation of compressed-air facilities

5.5.1. Connections

The provision of exhibition stands with compressed air is possible in both the halls and the outdoor exhibition area. It generally occurs via a connection to a compressor station. MMG reserves the right to install a compressor for the supply of compressed air on the stand in cases where, for instance, little compressed air is required. The use of a compressor to be supplied by the exhibitor himself has to be notified to MMG's Technical Exhibition Services Division 4 weeks prior to commencement of the stand construction period of the given event at the latest. The exhibitor is not allowed to obtain compressed air for his stand from such persons as have not been authorised to supply compressed air by MMG. Exhibitors are expressly forbidden to obtain compressed air from neighbouring stands. Furthermore, exhibitors are not entitled to supply any third parties at the trade fair centre apart from his co-exhibitors with such compressed air as is supplied to him by MMG. This applies particularly to neighbouring stands.

Compressed-air facilities from MMG's own mains to the individual stands may only be installed by MMG and/or a contractor appointed by it. The compressed-air installations encompass the main compressed-air connection together with associated compressed-air supply lines.

The exhibitor is responsible for ensuring that the compressed-air installation is able to provide all items on the stand requiring compressed air with sufficient compressed air such that they can all operate

simultaneously. Should MMG determine that the compressed-air installation ordered by the exhibitor cannot guarantee the simultaneous operation of all items requiring compressed air, MMG is entitled to upgrade the compressed-air installation at the expense of the exhibitor without being asked to do so by same.

Compressed-air supply lines will be laid in utility ducts wherever possible, but may under certain circumstances have to be run above ground if the location of the connection point makes this necessary.

MMG is entitled to run compressed-air supply lines and connections serving neighbouring stands across the exhibitor's stand unless MMG can provide the compressed-air connection to the neighbouring stands at the same or lower cost without laying supply lines and connections across the exhibitor's stand.

Should the exhibitor wish compressed-air supply lines to be laid across public aisles or third-party stands, MMG's prior approval must be sought. Any compressed-air supply lines laid in this respect must give due consideration to the safety of the public and exhibitors alike and are payable by the exhibitor concerned.

A ground plan indicating the required position of the connections should be attached to the orders (forms in Order Forms for Exhibitor Services).

For safety reasons, Messe München reserves the right to cut off the exhibitors' compressed-air supply after the event has finished.

5.5.2. Stand installation

Compressed-air installation work within the confines of the stand can be carried out by the exhibitor's own fitters or approved contractors in accordance with German/EU requirements and accepted technical practice.

Compressed-air installation work within the confines of the stand can also be carried out by MMG and/or contractors appointed by it providing an appropriate order is submitted.

To the extent that compressed-air installation work including connecting up equipment requiring compressed air (appliances with gas connections) is not to be carried out by MMG and/or contractors appointed by it, the exhibitor has to notify MMG in good time prior to the commencement of the work concerned, but 14 days prior to the commencement of the stand construction period at the latest, as to which contractors and/or fitters will be carrying out the compressed-air installation work. If MMG is not supplied with this information by the set time, MMG will connect up the equipment requiring compressed air and charge the exhibitor with the costs incurred based on the rates applying to the given event.

Any connections, machines or equipment that have not been authorised, do not comply with the relevant regulations or use more compressed air than indicated in the application are prohibited. They can be removed from the stand and put in storage by MMG at the expense and risk of the exhibitor.

5.5a. Gas installation

5.5a.1. Connections

Gas supply facilities from the utility ducts to the stands may only be installed by MMG and/or a contractor appointed by it. The gas installations encompass the main gas connection with supply lines and stopcock as well as a gas meter if applicable. The exhibitor is not allowed to obtain gas for his stand from such persons as have not been authorised to supply gas by MMG. Exhibitors are expressly forbidden to obtain gas from neighbouring stands. Furthermore, exhibitors are not entitled to supply any third parties at the trade fair centre apart from his co-exhibitors with such gas as is supplied to him by MMG. This applies particularly to neighbouring stands.

Connection plans indicating the required position of the connections should be attached to the orders (form is included in the Order Forms for Exhibitor Services or available from MMG's Technical Exhibition Services Division).

The exhibitor is responsible for ensuring that the gas installation is able to provide all items on the stand requiring gas with sufficient gas such that they can all operate simultaneously. Should MMG determine that the gas installation ordered by the exhibitor cannot guarantee the simultaneous operation of all items requiring such facilities, MMG is entitled to upgrade the gas installation at the expense of the exhibitor without being asked to do so by same.

Gas supply lines in the halls will be laid in utility ducts wherever possible, but may under certain circumstances have to be run above ground if the location of the connection point makes this necessary. In exceptional circumstances, the required location may be so unfavourable that the connection ordered cannot be installed or that, in doing so, additional costs may be incurred.

MMG is entitled to run gas supply lines and connections serving neighbouring stands across the exhibitor's stand unless MMG can provide the gas connection to the neighbouring stands at the same or lower cost without laying supply lines and connections across the exhibitor's stand.

Should the exhibitor wish supply lines to be laid across public aisles or third-party stands, MMG's prior approval must be sought. Any gas supply lines laid in this respect must give due consideration to the safety of the public and exhibitors alike and are payable by the exhibitor concerned.

To the extent that gas consumption is not payable on a flat-rate basis, it will be determined via the meter fitted and invoiced at the per-m³ prices shown in the Order Forms for Exhibitor Services.

For safety reasons, the gas supply will be cut off one hour after the end of the fair on the last day of the event.

The use of gas for lighting and/or heating purposes (e.g. radiation heaters) as a stand design element is prohibited. As a rule, exhibits are exempted from this requirement. All burners must be equipped with low-setting controls or automatic ignition devices.

The exhibitor assumes sole responsibility for compliance with the relevant safety regulations, above all those stipulated by DVWG, TÜV (Technical Inspectorate), Munich Municipal Fire Department and Munich Municipal Works Department.

For safety reasons, Messe München reserves the right to cut off the exhibitors' gas supply after the event has finished.

5.5a.2. Stand installation

Gas installation work within the confines of the stand can be carried out by the exhibitor's own fitters or approved contractors in accordance with German/EU requirements and accepted technical practice.

Gas installation work within the confines of the stand can also be carried out by MMG and/or contractors appointed by it providing an appropriate order is submitted.

To the extent that gas installation work including connecting up equipment requiring gas (appliances with gas connections) is not to be carried out by MMG and/or contractors appointed by it, the exhibitor has to notify MMG in good time prior to the commencement of the work concerned, but 14 days prior to the commencement of the stand construction period at the latest, as to which contractors and/or fitters will be carrying out the gas installation work. If MMG is not supplied with this information by the set time, MMG will connect up the equipment requiring gas and charge the exhibitor with the costs incurred based on the rates applying to the given event.

Any connections, machines or equipment that have not been authorised, do not comply with the relevant regulations or use more gas than indicated in the application are prohibited. They can be removed from the stand and put in storage by MMG at the expense and risk of the exhibitor.

5.5b. Information and communications services

All fixed-line connections for information and communications services are provided exclusively by MMG.

Connection plans indicating the required position of the connections should be attached to the orders (form is included in the Order Forms for Exhibitor Services).

5.6. Machinery, pressure containers and exhaust systems

5.6.1. Machine noise

The operation of any noise-emitting machinery and/or devices requires MMG's prior written approval. It may not disturb any other event participants, cause crowding that blocks the aisles nor drown out the public address system in the halls. Noise-emitting machinery and/or devices may only be operated for short periods of time and only as long and often as the given demonstration requires. The noise level at the stand perimeter may not exceed 70 dB(A).

Despite having given its prior approval, MMG is entitled to restrict or prohibit such performances as cause noise, visual disturbance or, for other reasons, constitute a significant disturbance to the event or its participants.

If a fair, exhibition or other event is not organised by MMG but by another organiser, the organiser concerned is entitled to exercise MMG's rights described above.

5.6.2. Equipment Safety Code

The exhibitor undertakes to only display those machines, equipment and other products as comply above all with the Equipment Safety Code (GSG) and associated ordinances (GSGV), by means of which the relevant EU directives (e.g. Machinery Directive, Low-voltage Directive and PSA Directive) have been enforced.

All machines that are subject to the Machinery Directive must bear CE coding as well as be accompanied by an EU Conformity Declaration and/or a Manufacturer's Declaration together with the relevant operating instructions. Electric equipment that is subject to the Low-voltage Directive must bear CE coding. Personal protective equipment that is subject to the PSA Directive must bear CE coding and be accompanied by the manufacturer's information brochure.

The only exceptions to this are such exhibits as are intended solely for export to countries outside the territory of the European Economic Community (EEC).

The exhibitor authorises MMG with the approval of the relevant authorities to publicly declare on his behalf that the conformity evaluation procedures have not yet been concluded in connection with such exhibits as do not have the prescribed CE coding and that these exhibits do not yet comply with the formal and safety provisions of the relevant regulations and may not be sold or purchased in the countries of the EU and territory of the EEC until such time as they comply with these regulations.

At the request of the relevant authorities, the exhibitor must attach an "exhibition sign" to exhibits without the prescribed CE coding clearly indicating that the exhibits concerned do not comply with GSG (Equipment Safety Code) requirements and may not be purchased in countries of the territory of the EEC until such time as they comply with the relevant regulations.

Any precautions necessary for the protection of persons must be taken by stand personnel in connection with demonstration activities.

The stand personnel is also responsible for ensuring that no unauthorised switching processes occur whatsoever.

5.6.2.1. Safety devices

Machinery and equipment components may only be operated if all relevant safety devices are in place. The standard safety devices can be replaced by a secure covering made of organic glass or another suitable, transparent material.

Where equipment is not operated, the safety devices can be removed to give visitors a clearer view of the design and construction of the otherwise covered components.

The safety devices must then be clearly displayed next to the machine.

5.6.2.2. Test procedures

The exhibited technical equipment will be inspected for its accident prevention and safety characteristics by the relevant supervisory authority – the Factory Inspectorate – together where necessary with the relevant technical committees of the Employers' Liability Insurance Association and for its compliance with the relevant safety requirements. Exhibitors are advised to have their EU Conformity Declaration available on the stand for CE coding verification purposes. If in doubt, exhibitors should contact the relevant authorities in good time prior to commencement of the event.

5.6.2.3. Operating ban

Furthermore, MMG is entitled to prohibit the operation of machinery, equipment and other devices at any time MMG deems it to constitute a risk for persons and/or property.

5.6.3. Pressure containers

5.6.3.1. Acceptance certificates

Pressure containers may only be operated on the stand if the tests/acceptance inspections required by the Operating Safety Directive valid at the given time have been carried out on them. Any proof of testing (certificates and/or recordings) issued as a result should be kept on the stand near the pressure container concerned and presented at the request of the relevant supervisory authorities.

5.6.3.2. Testing

Certificates issued on the basis of the structural and water pressure test or comparable test for pressure containers of any type are not considered sufficient proof. If applied for in good time, 4 weeks prior to the commencement of the event at the latest, pressure containers subject to testing can be put through the acceptance test by the Technical Inspectorate up to one day prior to the commencement of the event providing the structural and water pressure test certificate is presented and a qualified fitter is present on the exhibition stand.

5.6.3.3. Hired equipment

If hired equipment is used on the stand, the above regulations apply accordingly. Above all, any proof of testing issued (5.6.3.1.) should be kept on the stand near the pressure container concerned and presented at the request of the relevant supervisory authorities.

5.6.3.4. Verification

The requisite acceptance certificates should be available on the stand for Factory Inspectorate verification purposes.

5.6.4. Exhaust gases and vapours

Vapours and gases which are emitted by exhibits and equipment and are flammable, toxic or merely unpleasant for event participants may not be released in the halls, but must be fed out into the open air via appropriate piping in accordance with the German Emissions Control Act valid at the given time.

5.6.5. Exhaust systems

Such vapours and gases as are flammable, toxic or merely unpleasant for event participants must be fed

off via appropriate exhaust piping.

The ducting may only be installed by MMG or a contractor appointed by it. A ground plan indicating the required position of the ducting should be attached to the orders (form is included in the Order Forms for Exhibitor Services or available from MMG's Technical Exhibition Services Division).

5.7. Use of compressed gases, liquid gases and flammable liquids

As a general rule, the use of compressed gases, liquid gases and flammable liquids is prohibited. An exception to this ruling, which must be applied for via the "Application for Preventive Fire Protection Measures" form, can be granted by the Munich Municipal Fire Department. The requirement for approval being granted exceptionally is that the usage of compressed gases, liquid gases and flammable liquids applied for is necessary for the operation or demonstration of exhibits. Exhibitors have no entitlement to approval being granted exceptionally. Empty containers that have been used for storing compressed gases, liquid gases or flammable liquids may not be kept or stored on the stand or in the hall. Only empty cylinders are allowed for devices and equipment that are not operated for demonstration purposes and must be clearly labelled as such. Under no circumstances may full cylinders be stored in the halls.

5.7.1. Compressed gas

Compressed-gas cylinders must be protected against impact, falling over, unauthorised access and heat in accordance with the relevant accident prevention regulations. Compressed-gas cylinders should be stored in an upright position.

5.7.2. Liquid gas

Only under the condition that no electric or natural gas systems may be operated for the demonstration of exhibits may liquid gas systems be exceptionally approved given compliance with the following provisions:

- The location of the installation must be coordinated with Munich Municipal Fire Department.
- The maximum quantity of liquid gas that is permitted to be kept on the stand is 11 kg.
- The liquid gas cylinder is to be protected against unauthorised access and heat and kept in a fully sealed, appropriately marked sheet metal cabinet (yellow label with a black "G") with floor ventilation.
- Compliance with system, location and leakage requirements is to be verified and certified by an independent expert (TRF 9.1 and 9.3).
- The pipes and cables of the liquid gas system are to be laid such that they are pullrelieved and protected against mechanical stress.
- Usage for heating and cooking purposes is prohibited.
- An officially approved fire extinguisher (PG 6 as per DIN 14406 or DIN EN3) is to be kept on the exhibition stand.
- Each item of gas-driven equipment must be fitted with a stopcock that is easily accessible at all times. The storage of liquid gas cylinders in the exhibition halls is prohibited.
- The Code of Practice for Liquid Gas (TRF) must be observed.

5.7.3. Flammable liquids

Approval for the use of flammable liquids can only be granted in connection with the operation or demonstration of exhibits. See the "Application for Preventive Fire Protection Measures" form in the Order Forms for Exhibitor Services for further information.

Equipment operated or demonstrated with flammable liquids must be provided with non-flammable spill basins at all filling points as well as at all locations from which liquids can escape. As filling equipment with liquids is a particularly dangerous operation, maximum care and caution is required. Equipment that has reached operating temperature may not be filled with flammable liquids. Flammable liquids that have leaked out must be removed immediately from the basins and disposed of safely due to the potential risk of fire or explosion. Smoking is strictly prohibited at the place of use.

Appropriate signs must be provided. Only authorised persons may be allowed access. An officially approved fire extinguisher in accordance with DIN 14406 or DIN EN3 is to be kept on the exhibition stand.

5.8. Asbestos and other dangerous substances

The use of materials or products with an asbestos content or of any other dangerous substances is prohibited. The law for the protection against dangerous substances (Chemicals Act) valid at the given time in conjunction with the Chemicals Prohibition Directive valid at the given time and the Dangerous Substances Directive valid at the given time all apply in this connection.

5.9. Assembly rooms (Film, slide and television shows and other presentations)

Presentations and acoustic advertising require MMG's prior approval and must occur in such a way as not to disturb any neighbouring exhibitors. The noise level at the stand perimeter may not exceed 70 dB(A). Despite having given its prior approval, MMG is entitled to restrict or prohibit such presentations as cause noise, visual disturbance or, for other reasons, constitute a significant risk or disturbance to the event or its participants. The regulations stipulated by the relevant authorities must be observed.

Naked flames, open fires and actions constituting a fire risk are prohibited. Any exceptions to this ruling require the approval of Munich Municipal Fire Department. Electric switching systems may not be accessible to visitors.

To the extent that more than 200 seats need to be arranged, the entire number of seats must be shown in a separate plan (seating plan scale 1:200) in triplicate, as should the total number of persons using the individual escape routes. A copy of the plan approved for the given usage should be displayed in a clearly visible location near the main entrance to the assembly room concerned.

Each assembly room must have a sufficiently clear view of its adjoining area. Messe München GmbH reserves the right to impose additional conditions should the need arise.

Exhibitors' particular attention is drawn to the Assembly Place Directive (VStättV) applying in Bavaria in the version dated 2 November 2007 (above all the operating requirements in part 4 set out under paragraphs 31 and 43 as well as paragraph 10 section 1, paragraph 14 section 3 and paragraph 19 section 6).

The width of the emergency rescue routes in assembly rooms is to be calculated on the basis of the maximum number of persons using them in case of emergency. The width clearance of each section of any given emergency rescue route must amount to at least 1.20 m per 200 persons. Graduated increases are only allowed in steps of 0.60 m. The required width of the given rescue routes must be verifiably calculated through to the circulation areas.

Exits in darkened rooms must be lit adequately (signs according to DIN 4844 or BGV A8). Curtains in the vicinity of the exits must open easily to the minimum exit width prescribed, end 10 cm above the floor and be extremely flame retardant. They are to be provided with a coloured marking along the vertical edges used for opening and closing. They may not be sealed (tied together or similar) during operating hours. Applications should be submitted via the "Application for Preventive Fire Protection Measures" form in the Order Forms for Exhibitor Services.

Assembly rooms must have at least two exits leading directly to the hall aisles. These exits should be located as far apart from each other as possible.

Seats arranged in rows must be fixed so they cannot be moved; any chairs arranged temporarily are to be firmly interconnected into rows. Seats must be at least 0.50 m wide. A width clearance of at least 0.40 m must be provided between the rows of seats. Seats arranged in blocks may comprise no more than 30 rows. Aisles with a minimum width of 1.20 m must be provided behind and between the blocks. No more than ten seats may be arranged at the side of an aisle. The seating plan must show places for both sitting and standing. The path from a seat at a table to the nearest aisle may not exceed 10 m. The distance between the tables should not be less than 1.50 m. The places for wheelchair users are to be marked separately.

Doors located on escape and rescue routes in assembly rooms must open out in the direction of escape and may have no thresholds. During the time in which persons stay in assembly rooms, the doors of the respective escape and rescue routes must be able to be opened from inside easily and to their full width at all times.

5.10. Radiation protection

5.10.1. Radioactive materials

The use of radioactive materials is only possible with a special permit and MMG's approval. The permit must be applied for via the appropriate authorities in accordance with the Radiation Protection Directive valid at the given time and submitted to MMG at least 6 weeks prior to commencement of the given event. Insofar as a permit has been issued, the exhibitor must prove that the intended use of radioactive materials at the trade fair centre is covered by the permit concerned.

See the Application for Preventive Fire Protection Measures form in the Order Forms for Exhibitor Services for further information.

5.10.2. X-ray equipment and spurious radiation equipment

The operation of X-ray and spurious radiation equipment requires a special permit and MMG's approval. The Directive on the Prevention of Damage by X-rays (RöV) valid at the given time must be observed. The operation of X-ray and spurious radiation equipment is subject to mandatory approval or notification pursuant to Sections 3,4,5 and 8 of the RöV. The relevant authority for Munich as the exhibition venue is the Munich State Factory Inspectorate to which the applications for approval or notification must be submitted. Notification must be submitted via the "Registration of Laser and X-Ray Equipment" form in the Order Forms for Exhibitor Services.

5.10.3. Laser equipment

The operation of laser equipment requires a special permit and MMG's approval. Notification of the operation of laser equipment is to be submitted to the relevant authority in accordance with BGV B 2 via the "Registration of Laser and X-Ray Equipment" form in the Order Forms for Exhibitor Services.

The operation of laser equipment will be checked by an independent inspector. The laser equipment may only be used if the conditions stipulated by the independent inspector are complied with.

5.10.4. High-frequency equipment, radio systems, electromagnetic fields

The operation of high-frequency equipment, radio systems and electromagnetic fields requires a special permit and MMG's approval.

The operation of high-frequency equipment and radio systems is only permitted if it complies with the provisions of the Telecommunication Installations Act and the Electromagnetic Compatibility of Equipment Act (EMVG) valid at the given time.

The use of paging systems, microport equipment, two-way radio intercom equipment and telecontrol equipment is subject to approval by the Telecommunications and Post Regulatory Authority. A copy of the approval documents issued by the Regulatory Authority is to be submitted to MMG in good time prior to the commencement of the given event.

Moreover, the operation of high-frequency equipment and radio systems is only permitted if a sufficiently large frequency gap is verifiably left between the frequencies/applications they use and those already in use at the trade fair centre. This verification must be submitted to MMG. Details regarding the frequencies/applications in use at the trade fair centre are available from MMG's Technical Exhibition Services Division.

5.11. Cranes, fork-lift trucks, exhibition goods, packaging, goods consignments

The forwarding agents under contract to MMG, hereinafter termed "official forwarding agents", exercise sole forwarding agent rights at the trade fair centre e.g. transportation of exhibits, stand structures, etc. to the stands incl. provision of any auxiliary equipment required as well as customs clearance for temporary or permanent importation purposes. Only official forwarding agents may be appointed to render forwarding agent services at the trade fair centre.

MMG assumes no liability whatsoever for any risks arising from the activities of the official forwarding agents. No empty goods or packaging of any kind may be stored on the stands.

The exhibitor is not entitled to designate MMG as the consignee for goods consignments (exhibition goods, stand-building materials, information material and the like) or any other consignments that are not meant for MMG but for the exhibitor or a third party. MMG is entitled but not obliged at the expense and risk of the given exhibitor and against reimbursement of all the costs incurred to accept and store such consignments or appoint an official forwarding agent to store them, above all in respect of exhibition goods and packaging. No claims can be asserted against MMG to the effect that it accepted such consignments without checking their condition and completeness, did not check the cargo and forwarding-agent invoices issued or did not store or keep the given goods correctly.

5.12. Musical reproduction

For all types of musical and audio-visual reproduction, subject to the provisions of the Copyright Act valid at the given time, permission is required from the German Performing Rights Society (GEMA). The application for GEMA approval can be submitted via the "GEMA/Usage of Music during Trade Fairs and Exhibitions" form in the Order Forms for Exhibitor Services.

Any non-approved musical reproductions may be subject to claims for damages being asserted by GEMA (Section 97 of Copyright Act).

5.13. Beverage dispensing systems

For the installation and operation of beverage dispensing systems on the stand, the relevant statutory legislation, above all the provisions of the Beverage Dispensing Systems Directive (TRSK) 400 No. 3.3.1 and No. 3.3.2 and the Operating Safety Directive (BetrSichV) valid at the given time, must be observed.

Further information can be found in the "Registration of Beverage Dispensing Equipment/Notification of Intention to Serve Food and Beverages" form in the Order Forms for Exhibitor Services.

5.14. Food supervision

In connection with the distribution of food samples for immediate consumption and the on-site sale of food and beverages, the relevant statutory legislation, above all the provisions of the Food Hygiene Directive valid at the given time, must be observed.

As far as the commercial preparation or distribution of food is concerned, the exhibitor must observe the provisions of the Infection Prevention Act. It is up to the exhibitor to inform himself about all relevant regulations, including those stipulated by local safety authorities, and to observe them. Further information can be found in the "Registration of Beverage Dispensing Equipment/Notification of Intention to Serve Food and Beverages" form in the Order Forms for Exhibitor Services.

5.15. Disturbance due to exhibition goods

Exhibition goods that, by virtue of their appearance, smell, noise, vibration or similar characteristics, constitute a significant disturbance to the running of the given event, and above all put event participants or third-party objects at considerable risk or impinge upon them, are to be removed immediately at MMG's request. This obligation of the exhibitor concerned still applies even if he indicated such characteristics in his application and his application was approved. Should the exhibitor fail to meet his obligation by not immediately removing the exhibition goods causing the disturbance, MMG is entitled to remove the exhibition goods concerned at the expense and risk of the exhibitor or close down his stand without the exhibitor being entitled to claim damages from MMG or the relevant organiser. In such cases, MMG decides when the stand that has been closed down should be dismantled.

If a fair, exhibition or other event is not organised by MMG but by another organiser, the organiser concerned is entitled to exercise MMG's rights described above.

6. Environmental protection

MMG is committed to the protection of the environment.

The exhibitor undertakes to ensure that he and his sub-contractors fully comply with all environmental protection-related regulations and requirements.

At the trade fair centre, such materials and products as are characterised by their durability, repair friendliness and recyclability, as produce less waste or waste that is easier to dispose of and/or as are made of residual materials or waste should be used to the greatest possible extent.

No non-recyclable crockery should be used for catering purposes. Beverages should be served as far as possible in recyclable containers. Should however non-recyclable crockery be used in exceptional circumstances, it should only be made of such materials as rot in a neutral manner so that the ground water is not affected or as can be burnt in waste incinerators without producing residues harmful to the environment.

6.1. Waste management

All persons generating waste at the trade fair centre are responsible for the correct, environmentally friendly disposal of same. All such persons have the option of taking the waste they generate with them and correctly disposing of same outside the trade fair centre or of commissioning MMG and/or contractors appointed by MMG to dispose of the waste on their behalf. Each person generating waste is obliged to comply with the regulations required by law and the relevant authorities as well as with the following provisions. Should the given person generating waste be working directly or indirectly on behalf of an exhibitor, the latter is then deemed to be responsible for this person's behaviour too. If the person generating waste fails to comply with the regulations required by law or the relevant authorities or with the following provisions, MMG is entitled to assert claims against the person concerned as well as against the exhibitor on whose behalf the person generating waste is directly or indirectly working. In such cases, the person generating waste and the exhibitor are deemed to be jointly and severally liable.

6.1.1. Waste disposal

Exhibitors and the contractors they appoint are obliged to do their utmost to avoid generating waste in all phases of the given event including the stand set-up and dismantling periods. This aim must be incorporated in the planning work and co-ordinated with all those involved. Such materials as are recyclable and pollute the environment as little as possible should be used for stand-building purposes.

In accordance with City of Munich regulations, commercial waste may only be disposed of at municipal dumps and waste incineration plants if it has been separated into the various waste groups. Recyclable materials must therefore be handed in for recycling. Special waste is not accepted and must be disposed of via special companies. All waste generated at the trade fair centre must therefore be collected in separate containers from the outset or arduously separated into recyclable, incineratable and other waste groups after the event.

Paper and cardboard waste is to be disposed of in the waste paper container, glass waste in the waste glass container and other recyclable waste in the recyclable waste container.

As far as non-recyclable waste is concerned (apart from special waste and the other waste mentioned under Item 6.1.2.), insofar as it is left at the trade fair centre and the person generating it does not take it with him and dispose of it outside the trade fair centre, the person concerned must order containers for non-recyclable waste against payment of a fee or buy appropriate waste bags and put the non-recyclable waste into them or, in the case of loose quantities of waste, register these with MMG, the Hall Inspectorate or with the relevant contractor appointed by MMG. Further information can be found on the Waste Disposal form and the information sheets on display at the Hall Inspectorate offices.

Should the person generating waste fail to meet his payment obligations vis-à-vis MMG in respect of waste disposal, MMG is entitled to assert claims against the person concerned as well as against the given exhibitor, insofar as the person generating waste is working directly or indirectly on behalf of the exhibitor concerned. Both are deemed to be jointly and severally liable.

6.1.2. Waste requiring special supervision

Each person generating waste is obliged to notify MMG of any special waste or other waste that by virtue of its nature, characteristics or quantity constitutes a particular danger to public health or the environment or is explosive or combustible, and to have it disposed of correctly by an appropriate contractor appointed by MMG. The waste materials concerned are above all as follows:

Oils, detergents, spray cans with contents, impregnating agents, chemicals, salts, mercury (e.g. contained in switches and thermometers), emulsions, acids, lyes, paints, adhesives, waxes, solvents (such as petrol, spirit, tri acetone, paint thinner, glycerine), batteries, rechargeable batteries, electric circuits, fluorescent tubes, PVC leftovers (e.g. floor and wall tiles), television and radio sets, motors and refrigerators.

The same applies to the disposal of rubble, bulky waste items and carpeting.

A charge is raised for the disposal of such waste. Should the person generating waste not meet the payment obligations arising from the disposal of such waste, MMG is entitled to assert claims against the person concerned as well as against the given exhibitor, insofar as the person generating waste is working directly or indirectly on behalf of the exhibitor concerned. Both are deemed to be jointly and severally liable.

6.1.3. Waste brought to the trade fair centre

Such materials and waste as are not used or generated in connection with the given event in the stand construction or dismantling periods or its actual duration may not be brought to the trade fair centre.

6.2. Water, waste water, ground protection

6.2.1. Oil/Grease separators

Waste water fed into the sewers may not contain more pollutants than is usual for the waste water produced by private households.

Oil/Grease separators are required if such oily/greasy waste water as exceeds this level has to be fed into the sewers.

As far as mobile catering facilities are concerned, all waste grease and oil must be collected and disposed of separately.

Any exhibitors preparing, processing or demonstrating oily or greasy goods or operating a commercial dish-washer with a maximum duty cycle of 2 minutes on their stands, must drain off any waste water generated via grease separators.

The service form for ordering the installation of a grease trap can be requested from the Technical Exhibition Services Division.

6.2.2. Cleaning/Detergents

MMG organises the cleaning of the exhibition grounds and the aisles in the halls. The exhibitor is responsible for cleaning his stand, which must be carried out and completed every day prior to the commencement of the given fair or event. If the exhibitor does not have the cleaning work performed by his own personnel, he is only allowed to appoint MMG-licensed contractors for such purposes. Any non-MMG-licensed cleaning contractors will be asked to leave the exhibition area.

Only biologically degradable products may be used for cleaning work. Any liquids, substances or other materials as are absolutely essential for cleaning the stand and/or cleaning, operating and maintaining exhibits, should be used so professionally and correctly that no harm is caused to the environment. Residual materials including any aids (e.g. impregnated cleaning wool) used are to be correctly disposed of as special waste. Any detergents containing harmful solvents may only be used in exceptional circumstances in accordance with the relevant regulations.

6.3. Environmental damage

MMG must be notified immediately of any environmental damage/pollution (caused by e.g. petrol, oil, solvents, paint).

Status: December 2008

001002202/99,7/10.08 Druck-Ring

Messe München GmbH